

## ELENCO DELLE PUBBLICAZIONI “IN EXTENSO”

*(è riportato tra parentesi il numero di citazioni ricevute dai lavori che concorrono alla definizione dell'indice di Hirsch)*

- 1) Il flusso ematatico renale nella cirrosi epatica determinato con la metodica del washout dello Xenon 133 .  
Zuin R., Gatta A., Prandoni P., Finocchio G.F., **Merkel C.**, Ruol A.  
Minerva Nefrol. 23, 109-115, 1976. (IF 2012= 0,700)
- 2) Fisiopatologia vascolare del rene senile.  
Zuin R., Gatta A., **Merkel C.**  
Relaz. XXIII Congr.Naz.Soc.Ital. Gerontologia. Trieste 1976.  
Giorn. Geront. Suppl. 60, 19-36, 1976.
- 3) Riduzione del flusso renale medio e del flusso renale corticale nella cirrosi epatica in fase iniziale: rapporti col quadro clinico e con l'emodinamica portale.  
Ruol A., Zuin R., Gatta A., Prandoni P., **Merkel C.**  
Acta Med. Patav. 36, 688-710, 1976.
- 4) Il ruolo del sistema renina-angiotensina nella redistribuzione del flusso ematico intrarenale nella cirrosi.  
Pessina A.C., Gatta A., **Merkel C.**, Prandoni P., Trevisan A., Tosato B., Zuin R.  
Minerva Nefrol. 24, 553-558, 1977. (IF 2012= 0,700)
- 5) Rapporti patogenetici tra emodinamica renale e intrarenale ed ipertensione portale nella cirrosi epatica.  
Gatta A., Zuin R., **Merkel C.**, Ruol A.  
Minerva Nefrol. 24, 355-366, 1977. (IF 2012= 0,700)
- 6) Nefropatia in corso di cirrosi epatica: studio del flusso sanguigno renale ed intrarenale e degli shunts intrarenali.  
Gatta A., Zuin R., **Merkel C.**, Merlo A., Milani L., Grassetto M., Ruol A.  
Minerva Nefrol. 24, 393-398, 1977. (IF 2012= 0,700)
- 7) Quadri clinici tipici e atipici dell'insufficienza celiaco-mesenterica cronica.  
**Ruol A., Zuin R.**  
, Prandoni P., Gatta A., Finocchio G.F., **Merkel C.**  
Giorn. Arterioscl. 2, 215-236, 1977.
- 8) Rapporti tra renina separata e flusso renale ed intrarenale (washout dello Xe-133) nell'ipertensione essenziale e secondaria.  
Pessina A.C., Gatta A., **Merkel C.**, Milani L., Grassetto M., Palatini P., Hlede M., Casiglia E., Zuin R.  
Boll. Soc. Ital Cardiol. 23, 1237-1246, 1978.
- 9) Diminuzione del flusso renale medio e corticale in corso di cirrosi epatica : rapporti con le alterazioni dell'emodinamica sistemica.  
Zuin R., **Merkel C.**, Grassetto M., Milani L., Merlo A., Gatta A.  
Minerva Nefrol. 26, 41-44, 1979. (IF 2012= 0,700)
- 10) L'emodinamica renale e intrarenale in corso di cirrosi epatica prima e dopo shunt porto-sistemico.  
Gatta A., **Merkel C.**, Zuin R., Milani L., Baccaglini U., Grassetto M., Spina G.P.  
Minerva Nefrol 26, 119-123, 1979. (IF 2012= 0,700)
- 11) Nefropatia funzionale in corso di cirrosi epatica: rapporti patogenetici con le alterazioni del flusso epatico.  
**Merkel C.**, Zuin R., Grassetto M., Milani L., Merlo A., Gatta A.  
Minerva Nefrol. 26, 33-36, 1979. (IF 2012= 0,700)
- 12) Il quadro clinico e funzionale del rene in rapporto alle alterazioni emodinamiche renali e intrarenali in corso di cirrosi epatica.  
Gatta A., **Merkel C.**, Milani L., Caregaro L., Grassetto M., Lauro S., Zuin R.  
Minerva Nefrol. 26, 37-40, 1979. (IF 2012= 0,700)

- 13) Fisiopatologia della nefropatia in corso di cirrosi epatica. Ruolo patogenetico dell'ascite e dell'aumento della pressione cavale inferiore.  
Gatta A., Zuin R., **Merkel C.**, Milani L., Ruol A.  
Minerva Dietol. Gastroenterol. 25, 9-16, 1979.
- 14) Studio della funzionalità del tubulo renale prossimale nella cirrosi epatica mediante dosaggio urinario della beta-2-microglobulina.  
Gatta A., Frigo A., Amodio P., **Merkel C.**, Milani L., Grassetto M., Zuin R.  
Lab.J.Res.Lab.Med. 6:, 419-423, 1979.
- 15) Determinazione del flusso sanguigno epatico nella cirrosi con la metodica del washout dello Xe-133 iniettato in arteria epatica.  
**Merkel C.**, Gatta A., Milani L., Grassetto M., Merlo A., Zuin R. 33  
Giorn. Gastroent. End. 2, 17-26, 1979.
- 16) Il danno del tubulo renale in corso di cirrosi epatica studiato mediante il dosaggio di alcuni enzimi urinari.  
Gatta A., Amodio P., Frigo A., **Merkel C.**, Milani L., Caregaro L., Zuin R.  
Lab. J. Res. Lab. Med. 6: 413-417, 1979.
- 17) Cardiac involvement in progressive systemic sclerosis.  
Todesco S., Gatta A., Glorioso S., Chioin R., Peserico A., Zuin R., **Merkel C.**  
Acta Cardiologica.(Bruxelles) 34, 311-322, 1979. (IF=0.561)
- 18) Effetto della bumetanide iniettata in arteria renale sulla funzione e sull'emodinamica renale ed intrarenale nella cirrosi epatica.  
Gatta A., Grassetto M., **Merkel C.**, Zuin R., Milani L., Frigo A., Amodio P., Ruol A.  
Farmaci, 3, suppl. 3, 53-60, 1979.
- 19) La terapia con bumetanide a bassi dosaggi nel trattamento della cirrosi epatica scompensata: effetti sulla funzione e sull'emodinamica renale.  
Milani L., Gatta A., Dalfollo M., **Merkel C.**, Amodio P., Frigo A., Grassetto M., Zuin R.  
Progr. Med. 35, 922-931, 1979.
- 20) La terapia dell'ascite nella cirrosi epatica.  
Ruol A., Gatta A., **Merkel C.**  
Basi Raz. Ter. 10, 11-22, 1980.
- 21) Studi sul meccanismo dell'ipertensione oculare sperimentale da soluzione glucosata nel coniglio.  
Bonomi L., Tomazzoli L., Fregona I., Milani L., **Merkel C.**  
Boll. Ocul. 58: 359-366, 1979.
- 22) Azione diuretica ed effetti renali della bumetanide nella cirrosi epatica.  
Gatta A., Milani L., Dalfollo M., Amodio P., **Merkel C.**, Macca' F., Zuin R.  
Basi Raz. Ter. 10, 189-202, 1980.
- 23) Il danno renale nella EPH - gestosi: significato della enzimuria.  
Amodio P., Grella P., Giorgino F., Milani L., **Merkel C.**, Gatta A.  
Rivista di Ostetricia e Ginecologia Pratica e Medicina Perinatale, LX 725 - 732, 1980.
- 24) Flusso ematico renale e intrarenale nella ipertensione arteriosa essenziale.  
**Merkel C.**, Gatta A., Milani L., Amodio P., Lauro S., Zuin R.  
Minerva Nefrol. 27, 599-602, 1980. (IF = 0,700)
- 25) Il danno tubulare renale nella ipertensione arteriosa essenziale in fase iniziale.  
Milani L., Amodio P., Dalfollo M., Lauro S., **Merkel C.**, Gatta A.  
Minerva Nefrol. 27, 603-606, 1980. (IF = 0,700)
- 26) Studio della farmacocinetica della ornitin-carbamil-transferasi nelle epatopatie.  
Macca' F., Gatta A., **Merkel C.**, Caregaro L., Lauro S., Bonvicini P., Zuin R., Menozzi L.  
Gazz. Med. Ital. 139, 543-548, 1980.

- 27) Acidosi tubulare renale distale incompleta in corso di cirrosi epatica. Rapporti patogenetici con le alterazioni dell'emodinamica renale e intrarenale.  
Caregaro L., Lauro S., Gatta A., **Merkel C.**, Milani L., Grassetto M., Zuin R.  
Minerva Nefrol. 27, 343-350, 1980. (IF = 0,700)
- 28) Utilita' delle enzimurie nella EPH- gestosi.  
Amodio P., Grella P., Giorgino F., Dalfollo M., **Merkel C.**, Gatta A.  
Minerva Nefrol. 27, 607-609, 1980. (IF = 0,700)
- 29) Renal and intrarenal blood flow in patients with cirrhosis before and after portal-systemic shunt.  
**Merkel C.**, Gatta A., Zuin R., Milani L., Spina G.P.  
Scand. J. Gastroent. 15, 389-394, 1980. (IF 2014 = 2.329)
- 30) Endotoxins and hepatorenal syndrome. [letter]  
Gatta A., Milani L., **Merkel C.**, Amodio P., Caregaro L., Zuin R.  
Lancet II, 101-102, 1981. (IF 2014 = 39.207)
- 31) Le sindromi epato-renali.  
Ring-Larsen H., **Merkel C.**  
Il Policlinico sez. pratica 88, 864-872, 1981.
- 32) Significato prognostico del flusso epatico totale, misurato con la metodica del washout dello Xe-133, nella chirurgia dell'ipertensione portale.  
Baccaglini U., Camposampiero T., Galeotti F., Spreafico G., **Merkel C.**, Gatta A., Melina V.M., Battaglia G.  
Il Policlinico Sez. Chir. 88, 628-632, 1981.
- 33) Intrarenal blood flow, circulation time and cortical vascular volume in patients with cirrhosis.  
**Merkel C.**, Gatta A., Milani L., Amodio P., Zuin R.  
Scand. J. Gastroenterol. 16,775-780,1981. (IF 2014 = 2.329)
- 34) Distal renal tubular acidosis in liver cirrhosis: clinical and pathogenetic study.  
Caregaro L., Lauro S., Ricci G., **Merkel C.**, Milani L., Gatta A.  
Clin. Nephrol. 15, 143-147, 1981. (IF 2014 = 1.232)
- 35) Evaluation of renal tubular damage in liver cirrhosis by urinary enzymes and beta-2-micro-globulin excretions.  
Gatta A., Amodio P., Frigo A., **Merkel C.**, Milani L., Zuin R., Ruol A.  
Eur.J.Clin.Invest. 11, 239-243, 1981. (IF 2014 = 2.834)
- 36) Effect of intrarenal administration of bumetanide on renal haemodynamic and function in patients with liver cirrhosis.  
Gatta A., Grassetto M., **Merkel C.**, Zuin R., Milani L., Ruol A.  
Int.J.Clin.Pharm.Res. 1, 199-208, 1981. (IF 2014 = 1.044)
- 37) Endotossinemia ed emodinamica renale nella cirrosi epatica.  
Milani L., Gatta A., **Merkel C.**, Amodio P., Caregaro L., Dalfollo M., Zuin R.  
Il Fegato 27, 127-132,1981.
- 38) Hypotensive and renal effects of Captopril.  
Pessina A.C., Gatta A., Semplicini A., Rossi G.P., Casiglia E., Milani L., Amodio P., **Merkel C.**, Pagnan A., Dal Palu' C.  
Eur. J. Clin. Invest. 11, 409-413, 1981. (IF 2014 = 2.834)
- 39) Azione antipertensiva ed effetti renali del guanabenz.  
Pessina A.C., Milani L., Gatta A., Hlede N., Amodio P., Palatini P., Frigo A., Semplicini A, Casiglia E., **Merkel C.**, Mormino P., Pauletto P.  
Minerva Cardioang. 29, 1-6, 1981.
- 40) Flusso renale medio e corticale nella cirrosi epatica prima e a breve e lungo termine dopo anastomosi spleno-renale distale sec. Warren.  
Gatta A., Zuin R., **Merkel C.**, Spina G.P., Gerunda G., Battaglia G., Sacerdoti D., Ruol A.  
Il Policlinico Sez. Chir. 89, 954-956, 1982.
- 41) Enhanced renal sympathetic tone in liver cirrhosis: evaluation by intrarenal administration of dihydroergocristine.

- Gatta A., **Merkel C.**, Grassetto M., Milani L., Zuin R., Ruol A.  
Nephron 30, 364-367, 1982. (IF 201 =1.649)
- 42) Rapporti patogenetici tra acidosi tubulare renale distale e metabolismo del sodio nella cirrosi epatica.  
Caregato L., Lauro S., Ricci G., Visona' A., Goldin D., Gatta A., **Merkel C.**  
Minerva Dietol. Gastroenterol. 28: 127-132; 1982.
- 43) Renal haemodynamics in essential hypertension assessed by <sup>133</sup>Xenon washout and selective renal angiography.  
Gatta A., **Merkel C.**, Pessina A.C., Milani L., Sacerdoti D., Zuin R.  
Angiology 33, 818-824, 1982. (IF 2014 = 2.370)
- 44) Proteinuria in patients with liver cirrhosis. Relationship with renal and hepatic function.  
Milani L., Gatta A., **Merkel C.**, Ruol A.  
Clin. Sci. 63, 387-392, 1982. (IF 2014 = 5.629)
- 45) Indirizzi di prevenzione e terapia della sindrome epatorenale in corso di cirrosi epatica.  
Gatta A., **Merkel C.**  
Basi Raz. Ter. 12, 665-679, 1982.
- 46) Lack of correlation between endotoxaemia and renal hypoperfusion in cirrhotics without overt renal failure.  
Gatta A., Milani L., **Merkel C.**, Zuin R., Amodio P., Caregato L., Ruol A.  
Eur.J.Clin.Invest. 12,417-422,1982.(IF 2014 =2.834)
- 47) Evaluation of peritoneoscopic and oesophagosopic findings as indexes of portal hypertension in patients with liver cirrhosis.  
Zuin R., Gatta A., **Merkel C.**, Zotti S., Amodio A., Milani L., Dagnini G.  
Ital.J.Gastroenterol. 14, 214-219, 1982. (IF 2014 =2.889)
- 48) Azione dell'aminofillina sull'emodinamica renale e sul metabolismo renale del sodio nella cirrosi epatica.  
Milani L., **Merkel C.**, Macca' F., Gatta A.  
Il Fegato 28, 213-219, 1982.
- 49) Renal effects of aminophylline in hepatic cirrhosis.  
Milani L., **Merkel C.**, Macca' F., Gatta A.  
Eur.J.Clin.Pharmacol. 24, 757-760,1983. (IF 2014 = 2.834)
- 50) Emodinamica splancnica prima e a breve e a lungo termine dopo l'intervento di anastomosi spleno-renale distale sec. Warren.  
Zuin R., Finucci G.F., Venchierutti G.P., Maffei Faccioli A., Spina G.P., **Merkel C.**, Gatta A., Ruol A.  
Il Fegato 29, 71-78, 1983.
- 51) Relationship between plasma levels of Factor VIII related antigen and reticulo-endothelial function in chronic uremia.  
Milani L., **Merkel C.**, Canel F., Gasparotto M.L., Gatta A.  
Clin. Nephrol. 20, 235-238, 1983. (IF 2014 =1.232)
- 52) Emodinamica splenica ed ipertensione portale nella cirrosi epatica splenomegalica.  
**Merkel C.**, Gatta A., Arnaboldi L., Zuin R.  
Giorn. Clin. Med. 64, 465-473, 1983.
- 53) Carbohydrate and lipid metabolism in liver cirrhosis. Evidence that hepatic uptake of gluconeogenic precursors, and of free fatty acids depends on effective hepatic blood flow.  
Nosadini R., Avogaro A., Mollo F., Marescotti C., Tiengo A., Duner C., **Merkel C.**, Gatta A., Zuin R., De Kreutzenberg S, Trevisan R, Crepaldi G.  
J.Clin.Endoc.Metab. 58,1125-1132, 1984. (IF 2014 = 6.310) (*citazioni ricevute = 54*)
- 54) Effects of nadolol treatment on renal and hepatic haemodynamics and function in cirrhotic patients with portal hypertension.  
Gatta A., Sacerdoti D., **Merkel C.**, Milani L., Battaglia G., Zuin R.  
Am. Heart J. 108, 1167-1172, 1984. (IF 2014 =4.555)

- 55) Aminoacids, glucose and free fatty acids metabolism in the lower limb in cirrhotics. An approach to the problem of plasma aminoacid imbalance in liver cirrhosis.  
Amodio P., **Merkel C.**, Nosadini R., Zuin R., Gatta A.  
Advances in Hepatic Encephalopathy and Urea Cycle Diseases. Karger, Basel 1984, pp. 545-551.
- 56) Effetto della somatostatina sull'emodinamica splancnica nella cirrosi epatica.  
**Merkel C.**, Gatta A., Zuin R., Finucci G.F., Arnaboldi L., Ruol A.  
Minerva Medica, 75, 2673-2678, 1984. (IF 2012 = 0.700)
- 57) Nadolol in the treatment of portal hypertension in cirrhotics: six months results.  
Gatta A., Sacerdoti D., **Merkel C.**, Battaglia G., Finucci G.F., Zuin R.  
Il Policlinico: Sez. Chir. 92, 657-660, 1985.
- 58) Effects of somatostatin on splanchnic haemodynamics and liver metabolic activity in patients with liver cirrhosis and portal hypertension.  
**Merkel C.**, Gatta A., Bazzlerla G., Finucci G.F., Sacerdoti D., Zuin R.  
Il Policlinico: Sez. Chir. 92, 751-755, 1985.
- 59) Aminoacid imbalance in liver cirrhosis: the importance of lower limb amino acid metabolism.  
Amodio P., **Merkel C.**, Nosadini R., Zuin R., Gatta A.  
Il Policlinico: Sez. Chir. 92, 734-737, 1985.
- 60) Blood flow of experimental liver metastases in rats as evaluated by the locally injected 133-Xenon washout.  
**Merkel C.**, Cagol P.P., Da Pian P.P., Bolognesi M., Sacerdoti D., Gatta A.  
Res. Exp. Med. 185, 207-215, 1985. (IF 2014 : 0.646)
- 61) Metabolismo dei corpi chetonici nella cirrosi epatica.  
Nosadini R., Avogaro A., **Merkel C.**, Trevisan R., De Kreutzenberg S.  
Giorn. Ital. Diabetologia, 5: 245-247, 1985
- 62) Venous phase of mesenteric artery angiography in the evaluation of hepatic portal flow in patients with liver cirrhosis and portal hypertension.  
Finucci G.F., **Merkel C.**, Tirelli M., Sacerdoti D., Gatta A., Battaglia G., Zuin R.  
Il Policlinico: Sez. Chir. 92, 671-674, 1985.
- 63) Riduzione del flusso nelle metastasi epatiche sperimentali: studio emodinamico radioisotopico.  
**Merkel C.**, Cagol P.P., Da Pian P.P., Bolognesi M., Arnaboldi L., Sacerdoti D., Gatta A.  
Progr. Med. 41, 421-426, 1985.
- 64) Effect of somatostatin on splanchnic haemodynamics in patients with liver cirrhosis and portal hypertension.  
**Merkel C.**, Gatta A., Zuin R., Finucci G.F., Nosadini R., Ruol A.  
Digestion 32, 92-98, 1985. (IF 2014 =1.940) (*citazioni ricevute = 59*)
- 65) Splenic haemodynamics and portal hypertension in patients with liver cirrhosis and spleen enlargement.  
**Merkel C.**, Gatta A., Arnaboldi L., Zuin R.  
Clin. Physiol. 5, 531-539, 1985. (IF 2014 = 1.376)
- 66) Renal water and sodium handling in compensated liver cirrhosis: mechanism of the impaired natriuresis after saline loading.  
Caregato L., Lauro S., Angeli P., **Merkel C.**, Gatta A.  
Eur. J. Clin. Invest. 15,360-364,1985. (IF 2014 =2.834)
- 67) Use of non selective beta-blocker, nadolol, in the treatment of portal hypertension in cirrhotics.  
Gatta A., Sacerdoti D., **Merkel C.**, Rossoni R., Finucci G.F., Bolognesi M., Zuin R.  
Int. J. Clin. Pharm. Res. 5: 413-418, 1985. (IF 2014 = 1.044)
- 68) Redistribution of renal blood flow in patients with liver cirrhosis. The role of renal PGE2.  
Sacerdoti D., Merlo A., **Merkel C.**, Zuin R., Gatta A.  
Il Policlinico: Sezione Chirurgica 92: 649-652, 1985.
- 69) Effect of nadolol on liver haemodynamics and function in patients with cirrhosis.  
**Merkel C.**, Sacerdoti D., Finucci G.F., Zuin R., Bazzlerla G., Bolognesi M., Gatta A.

Brit.J.Clin.Pharmacol. 21: 713-719, 1986. (IF 2014 = 3.688)

70) Redistribution of renal blood flow in patients with liver cirrhosis. The role of renal PGE2.

Sacerdoti D., Merlo A., **Merkel C.**, Zuin R., Gatta A.  
J. Hepatol 2, 253-261, 1986. (IF 2014 = 10.401)

71) Tubular handling of sodium and phosphate in non-ascitic liver cirrhosis.

Caregaro L., Angeli P., Merlo A., Menon F., Rondana M., **Merkel C.**, Gatta A.  
Scand. J. Clin. Lab. Invest. 7: 247-251, 1987 (IF 2014 =2.009)

72) Effects of isosorbide dinitrate on portal hypertension in alcoholic cirrhosis.

**Merkel C.**, Finucci G.F., Zuin R., Bazzlerla G., Bolognesi M., Sacerdoti D., Gatta A.  
J. Hepatol. 4, 174-180, 1987. (IF 2014 = 10.401) (*citazioni ricevute = 48*)

73) Value of prealbumin plasma levels as a liver function test.

Rondana M., Milani L., **Merkel C.**, Caregaro L., Gatta A.  
Digestion 37, 72-78, 1987. (IF 2014 = 1.940)

74) Nadolol for prevention of variceal rebleeding in cirrhosis: a controlled clinical trial.

Gatta A., **Merkel C.**, Sacerdoti D., Bolognesi M., Caregaro L., Zuin R., Angeli P., Ruol A.  
Digestion 37, 22-28, 1987. (IF 2014 = 1.940) (*citazioni ricevute = 51*)

75) Verapamil pharmacokinetics and liver function in patients with liver cirrhosis.

Finucci G.F., Padrini R., Piovan D., Melica E., **Merkel C.**, Gatta A., Zuin R.  
Int.J.Clin.Pharm.Res. 8, 123-126, 1988. 33 (IF 2014 = 1.044)

76) The use of human albumin millimicrosphere tagged with <sup>99m</sup>Tc in the evaluation of the removal capacity of reticulo-endothelial system.

Bolognesi M., **Merkel C.**, Gatta A.  
Eur.J.Nucl.Med.13, 254-257, 1987. (IF 2014 = 5.217)

77) Effect of somatostatin on liver blood flow and liver metabolic activity in patients with cirrhosis.

**Merkel C.**, Gatta A., Caregaro L., Sacerdoti D., Rondana M., Ruol A.  
Scand. J. Clin. Lab. Invest. 47: 667-672, 1987. (IF 2014 = 2.009)

78) Long-term effects of beta-adrenergic blockade with nadolol on hepatic and renal hemodynamics and function in cirrhotics.

Gatta A., Bolognesi M., **Merkel C.**, Finucci G.F., Angeli P., Sacerdoti D., Ruol A.  
Clin. Physiol. 7, 377-387, 1987. (IF 2014 = 1.376)

79) L'emodinamica sistemica nel cirrotico: rapporti con i livelli plasmatici e lo scambio polmonare di PGE2.

Merlo A., Amodio P., Sacerdoti D., Borsato M., **Merkel C.**, Angeli P., Gatta A.  
Ann. Ital. Med. Int. 3:186-189, 1988.

80) Carnitina libera e acetyl-carnitina nella cirrosi epatica: studio degli scambi epatico e renale.

Gatta A., Amodio P., **Merkel C.**, Bazzlerla G., Rizza V.  
Progr. Med. 43: 129-134, 1987.

81) Metabolic control of kidney hemodynamics in normal and insulin-dependent diabetic subjects. Effects of acetoacetic, lactic and acetic acids.

Trevisan R., Nosadini R., Fioretto P., Velussi M., Avogaro A., Duner E., Iori E., Doria A., **Merkel C.**, Valerio A., Crepaldi G.  
Diabetes 36: 1073-1081, 1987 (IF 2014 = 7.895)

82) Renal effects of nadolol in cirrhosis.

Gatta A., Sacerdoti D., **Merkel C.**, Caregaro L., Borsato M., Bolognesi M., Ruol A.  
Eur. J. Clin. Pharmacol. 33, 473-477, 1987 (IF 2014 =2.697)

83) Evaluation angiographique semiquantitative de la perfusion portale chez les cirrhotiques: relations avec le debit plasmatique hepatiche.[lettere]

Finucci.G.F., **Merkel C.**, Tirelli M., Sacerdoti D., Gatta A., Zuin R.  
Gastroenterol. Clin. Biol 11: 833-834, 1987. (IF 2014 =0.852)

- 84) Impaired renal water excretion in liver cirrhosis. The role of reduced distal delivery of sodium.  
Gatta A., Caregaro L., Angeli P., **Merkel C.**, Menon F., Rondana M., Ruol A.  
Scand.J.Gastroenterol. 23:523-528,1988. (IF 2014 = 1.329)
- 85) Long-term effect of nadolol, on quantitative liver function tests in patients with cirrhosis.  
**Merkel C.**, Gatta A., Sacerdoti D., Bolognesi M., Rondana M., Caregaro L., Finucci G.F., Ruol A.  
Eur.J.Clin.Pharmacol. 34:501-504, 1988. (IF 2014 = 2.697)
- 86) Basi fisiopatologiche ed esperienze cliniche nell'impiego dei beta bloccanti nella prevenzione delle recidive emorragiche da rottura di varici esofagee in corso di cirrosi epatica.  
Gatta A., **Merkel C.**, Bolognesi M.  
Chir.Gastroent. 22 suppl: 7-16, 1988.
- 87) Effects of Iloprost, a prostacyclin analog derivative, on renal plasma flow, renal function and renin-aldosterone system in humans.  
Angeli P., Gatta A., Caregaro L., Menon F., Sacerdoti D., **Merkel C.**, Visona' A., Lusiani L., Pagnan A.  
Clin. Pharm. Ther. 44: 211-216; 1988. (IF 2014 = 7.390)
- 88) The calcium-channel blocker, Verapamil, does not improve portal pressure in patients with alcoholic cirrhosis.  
**Merkel C.**, Gatta A., Bolognesi M., Padrini R., Finucci G.F., Angeli P., Ruol A.  
Br.J.Clin.Pharmac. 26: 273-277; 1988. (IF 2014 = 3.688)
- 89) Porcine and human insulin absorption from subcutaneous tissues in normal and insulin dependent diabetic subjects: a deconvolution-based approach.  
Nosadini R., De Kreutzenberg S., Duner E., Iori E., Avogaro A., Trevisan R., Fioretto P, Doria A., **Merkel C.**, Cobelli C., Mari A., Jensen I., Heding L., Crepaldi G.  
J.Clin.Endocr.Metab. 67: 551-559, 1988 (IF 2014 = 6.310)
- 90) Hemodynamic changes on systemic, hepatic and splenic circulations following triglycyl-lysine-vasopressin administration in alcoholic cirrhosis.  
**Merkel C.**, Gatta A., Bolognesi M., Finucci G.F., Battaglia G., Angeli P., Zuin R.  
Dig.Dis.Sci. 33: 1103-1108; 1988. (IF 2014 =2.550)
- 91) Derivazione spleno-renale distale selettiva vs devascularizzazione esofago-gastrica con transezione esofagea. Studio prospettico controllato.  
Battaglia G., Gerunda G.E., Martines D., Scibetta D., Zangrandi F., Gatta A., Zuin R., **Merkel C.**, Zotti S., Ancona E., Naccarato R., Maffei-Faccioli A., Peracchia A.  
Chir. Gastroent. 22 suppl., 84-92, 1988
- 92) d-Sorbitol clearance (letter to Editor).  
**Merkel C.**, Gatta A.  
Dig. Dis. Sci. 33: 1341, 1988 (IF 2012 =2.550)
- 93) Ipertensione portale nella cirrosi: fisiopatologia e farmaci.  
Gatta A., **Merkel C.**, Bolognesi M.  
Il Fegato 34: 59-85, 1988.
- 94) Il metabolismo epatico del verde indocianina e dell'aminopirina nella cirrosi epatica: rapporti con la massa epatica funzionante.  
Bolognesi M., **Merkel C.**, Angeli P., Caregaro L., Gatta A.  
Minerva Med. 79, 1035-1041, 1988 (IF 2014 = 0.700)
- 95) Indocyanine green intrinsic hepatic clearance as a prognostic index of survival in patients with cirrhosis.  
**Merkel C.**, Bolognesi M., Finucci GF., Angeli P., Caregaro L., Rondana M., Gatta A.  
J.Hepatol. 9: 16-22, 1989 (IF 2014 = 10.401) (citazioni ricevute =52)
- 96) Prognostic indicators of survival in patients with cirrhosis and esophageal varices, without previous bleeding.  
**Merkel C.**, Bolognesi M., Angeli P., Noventa P., Caregaro L., Sacerdoti D., Gatta A.  
Am. J. Gastroent. 84: 717-22, 1989 (IF 2014 = 9.213) (citazioni ricevute = 49)
- 97) Vascularization of experimental liver metastases. 2 - Blood flow.

Cagol P.P., Da Pian P.P., **Merkel C.**, Pilati P.L., Pasqual E.M., Prevaldi C., Lise M.  
J. Exp. Clin. Cancer Res. 8: 137-142, 1989. (IF 2014 = 3.271)

98) Le alterazioni tubulari renali del cirrotico.

Gatta A., Caregaro L., Angeli P., **Merkel C.**, Borsato M., Rondana M.  
Il fegato, 35:197-211, 1989

99) L'impiego dei beta-bloccanti nell'ipertensione portale in corso di cirrosi epatica: efficacia ed applicabilità.

Gatta A., **Merkel C.**, Bolognesi M., Caregaro L., Menon F., Ruol A.  
Progressi Clinici: Medicina 5: 229-244, 1990

100) Tubular site of renal sodium retention in ascitic liver cirrhosis evaluated by lithium clearance.

Angeli P., Gatta A., Caregaro L., Menon F., Sacerdoti D., **Merkel C.**, Rondana M., De Toni R., Ruol A.  
Eur. J. Clin. Invest. 20: 105-111, 1990 (IF 2014 = 2.834)

101) Clinical pharmacology of splanchnic circulation in cirrhosis.

Gatta A., **Merkel C.**  
Pharm. Res. 22: 235-252, 1990 (IF 2014 = 3.976)

102) Substrate availability other than glucose in the brain during euglycemia and insulin-induced hypoglycemia in dogs.

Avogaro A., Nosadini R., Doria A., Tremolada C., Baccaglioni U., Ambrosio F., **Merkel C.**, Nosadini A., Trevisan R., Fioretto P.  
Metabolism 39: 46-50, 1990 (IF 2014 = 3.611)

103) Lack of effect of verapamil and isosorbide dinitrate on the hepatic clearance of indocyanine green in cirrhosis

**Merkel C.**, Bolognesi M., Angeli P., Finucci G.F., Amodio P., Bellon S., Gatta A.  
Br. J. Clin. Pharmacol. 30: 221-227, 1990 (IF 2014 = 3.688)

104) Clinical significance of cholelithiasis in patients with decompensated cirrhosis.

Finucci G.F., Tirelli M., Bellon S., Zambon M., Toffolo L., **Merkel C.**, Zuin R.  
J. Clin. Gastroenterol. 12: 538-41, 1990 (IF 2014 = 3.186)

105) La terapia medica dell'ipertensione portale nella cirrosi epatica.

Gatta A., Bolognesi M., **Merkel C.**  
Cuore e vasi 12: IV:1-5, 1990

106) Carnitine plasma levels in liver cirrhosis: relationship with nutritional status and liver damage

Amodio P., Angeli P., **Merkel C.**, Menon F., Gatta A.  
J. Clin. Chem. Clin. Biochem. 28: 619-626, 1990. (IF 2014 = 1.741)

107) Pharmacokinetics of iloprost in patients with hepatic dysfunction.

Hildebrand M., Krause W., Angeli P., Koziol T., Gatta A., **Merkel C.**, Bolognesi M.  
Int. J. Clin. Pharmacol. Ther. Toxicol. 28: 430-4, 1990. (IF 2014 = 1.044)

108) Hypophosphatemia and renal tubular dysfunction in alcoholics: are they related to liver function impairment?

Angeli P., Gatta A., Caregaro L., Luisetto G., Menon F., **Merkel C.**, Bolognesi M., Ruol A.  
Gastroenterology 100: 502-521, 1991 (IF 2012 = 13.926)

109) Importance of the 1-month-effect of nadolol on portal pressure in predicting failure of prevention of rebleeding in cirrhosis.

Sacerdoti D., **Merkel C.**, Gatta A.  
J. Hepatol 12: 124-125 1991 (IF 2014 = 10.401)

110) Comparison of sublingual captopril and nifedipine in acute treatment of hypertensive emergencies: a randomized one blind clinical trial.

Angeli P., Chiesa M., Caregaro L., **Merkel C.**, Sacerdoti D., Rondana M., Gatta A.  
Arch. Intern. Med. 151: 678-82, 1991. (IF 2014 = 13.246)

111) Theophylline pharmacokinetics and liver function indexes in chronic liver disease.

Amodio P., Lauro S., Rondana M., Crema G., **Merkel C.**, Gatta A., Ruol A.  
Respiration 58: 106-111, 1991 (IF 2014 = 2.924)



- 112) A pathophysiological interpretation of unresponsiveness to spironolactone in a stepped-care approach to the diuretic treatment of ascites in non-azotemic cirrhotics.  
Gatta A., Angeli P., Caregaro L., Menon F., Sacerdoti D., **Merkel C.**  
Hepatology 14: 231-236, 1991 (IF 2014 = 11.190) (*citazioni ricevute = 59*)
- 113) Evaluation of splanchnic angiography as a prognostic index of survival in patients with cirrhosis.  
Finucci G.F., Bellon S., **Merkel C.**, Mormino P., Tirelli M., Gatta A., Zuin R.  
Scand. J. Gastroenterol. 26: 951-960, 1991 (IF 2014 = 2.329)
- 114) Can we predict the first variceal bleeding in the individual patient with cirrhosis and esophageal varices ? [letter]  
**Merkel C.**, Gatta A.  
J. Hepatol. 12: 402, 1991. (IF 2012 = 10.401)
- 115) Prognostic value of galactose elimination capacity, aminopyrine breath test, and ICG clearance in patients with cirrhosis: comparison with the Pugh score.  
**Merkel C.**, Gatta A., Zoli M, Bolognesi M., Iervese T, Angeli P., Marchesini G, Ruol A.  
Dig. Dis. Sci. 36: 1197-1203, 1991 (IF 2014 = 2.550) (*citazioni ricevute = 82*)
- 116) Vascularization of experimental liver metastases. 3<sup>^</sup> The effect of hepatic artery ligation on blood flow.  
Cagol P.P., Da Pian P.P., **Merkel C.**, Pasqual E.M., Pilati P.L., Prevaldi C.  
J. Exp. Clin. Cancer Res. 10: 177-180, 1991. (IF 2014 = 3.271)
- 117) Prognostic usefulness of hepatic vein catheterization in patients with cirrhosis and esophageal varices.  
**Merkel C.**, Bolognesi M., Bellon S., Zuin R., Noventa F., Finucci G., Sacerdoti D., Angeli P., Gatta A.  
Gastroenterology 102: 973-979, 1992. (IF 2014 = 13.926) (*citazioni ricevute = 124*)
- 118) The renin-angiotensin system in cirrhosis without ascites: relationships to renal and intrarenal haemodynamics, and portal pressure.  
Sacerdoti D., **Merkel C.**, De Toni R., Finucci G.F., Gatta A.  
Eur. J. Intern. Med. 2: 229-234, 1992. (IF 2014 = 2.300)
- 119) Il trattamento farmacologico nella profilassi del primo sanguinamento e nella prevenzione del risanguinamento da rottura di varici esofagee nella cirrosi.  
Gatta A., Bolognesi M., **Merkel C.**, Sacerdoti D., Amodio P.  
G&B Clinica e Terapia 6: 33-42, 1992.
- 120) Are prealbumin plasma levels linked to amino acid supply from peripheral tissues in liver cirrhosis?  
Amodio P., Bellon S., **Merkel C.**, Bolognesi M., Gatta A.  
Amino Acids 3: 223-228, 1992 (IF 2014 = 3.653)
- 121) Long-term follow-up study of adult patients with non-cirrhotic obstruction of the portal system: comparison with cirrhotic patients.  
**Merkel C.**, Bolognesi M., Bellon S., Sacerdoti D., Bianco S., Amodio P., Gatta A.  
J. Hepatol 15: 299-303, 1992 (IF 2014 = 10.401)
- 122) Aminopyrine breath test in the prognostic evaluation of patients with cirrhosis.  
**Merkel C.**, Bolognesi M., Bellon S., Bianco S., Honisch B., Lampe H., Angeli P., Gatta A.  
Gut 33: 836-842, 1992. (IF 2012 = 13.319) (*citazioni ricevute = 64*)
- 123) La terapia medica dell'ipertensione portale nella cirrosi epatica.  
Gatta A., Bolognesi M., **Merkel C.**  
Federazione Medica 9: 529-533, 1992
- 124) Statistical methods for predicting variceal hemorrhage (letter to the Editor).  
**Merkel C.**, Gatta A.  
Gastroenterology, 102: 1094-95, 1992. (IF 2014 = 13.926)
- 125) Effect of triglycyl-lysine-vasopressin on quantitative liver function tests in patients with cirrhosis.  
**Merkel C.**, Bianco S., Bolognesi M., Caregaro L., Amodio P., Sacerdoti D., Gatta A.  
Am. J. Gastroenterol 87: 1580-1586, 1992. (IF 2014 = 9.213)
- 126) Variability of atrial natriuretic peptide plasma levels in ascitic cirrhosis: pathophysiological and clinical implications.

Angeli P., Caregaro L., Menon F., Sacerdoti D., De Toni R., **Merkel C.**, Gatta A.  
Hepatology 16: 1389-1394, 1992. (IF 2014 = 11.190)

127) Prognostic significance of portal hemodynamics in patients with compensated cirrhosis.  
Zoli M., Iervese T., **Merkel C.**, Bianchi G.P., Magalotti D., Marchesini G., Gatta A., Pisi E.  
J. Hepatol 17: 56-61, 1993. (IF 2014 = 10.401) (citazioni ricevute = 51)

128) Renal vasoconstriction in cirrhosis evaluated by Duplex Doppler ultrasonography.  
Sacerdoti D., Bolognesi M., **Merkel C.**, Angeli P., Gatta A.  
Hepatology 17: 219-224, 1993 (IF 2014 = 11.190) (citazioni ricevute = 106)

129) Tubular damage in chronic liver disease.  
Gatta A, Caregaro L, Menon F, Angeli P, Merkel C, Amodio P.  
Gastroenterol Int 6: 49-53, 1993

130) Cardiac involvement in liver cirrhosis.  
Gatta A, **Merkel C.**, Sacerdoti D, Angeli P.  
Ann Ital Med Intern 8:244-247, 1993

131) Randomized clinical study of the efficacy of amiloride and potassium canrenoate in nonazotemic cirrhotic patients with ascites.  
Angeli P, Dalla Pria M, De Bei E, Albino G., Caregaro L., **Merkel C.**, Ceolotto G., Gatta A.  
Hepatology 19: 72-79, 1994 (IF 2014 = 11.190) (citazioni ricevute = 59)

132) Clinical significance of the evaluation of hepatic reticuloendothelial removal capacity in patients with cirrhosis.  
Bolognesi M., **Merkel C.**, Bianco S., Angeli P., Sacerdoti D., Amodio P., Gatta A.  
Hepatology 19: 628-634, 1994. (IF 2014 = 11.190) (citazioni ricevute = 54)

133) Circadian variations in the frequency of acute variceal bleeding in cirrhosis. [letter]  
**Merkel C.**, Gatta A., Gruppo Triveneto per l'Iipertensione Portale.  
J. Hepatol 21: 912-913, 1994. (IF 2014 = 10.401)

134) Limitations of serum creatinine level and creatinine clearance as filtration markers in cirrhosis.  
Caregaro L., Menon F., Angeli P., Amodio P., **Merkel C.**, Bortoluzzi A., Alberino F., Gatta A.  
Arch Intern Med 154: 201-205, 1994. (IF 2014 = 13.246) (citazioni ricevute = 156)

135) Livelli plasmatici di prealbumina e differenza artero-venosa di aminoacidi nell'epatocirrosi.  
Amodio P., Bellon S., Bolognesi M., **Merkel C.**, Sacerdoti D., Caregaro L., Gatta A.  
Riv Ital Nutr Parent Ent 12: 15-18, 1994.

136) Adding beta-blockers to sclerotherapy in the prevention of variceal rebleeding: a meta-analysis assessment. [letter]  
**Merkel C.**, Morabito A.  
J Hepatol 21: 918-919, 1994. (IF 2014 = 10.401)

137) Renal vasoconstriction in cirrhosis. [letter]  
Sacerdoti D., Bolognesi M., **Merkel C.**, Angeli P., Gatta A.  
Hepatology 20: 539-541, 1994 (IF 2014 = 11.190)

138) Development and validation of a prognostic index predicting death after upper gastrointestinal bleeding in patients with cirrhosis: a multicenter study.  
Gatta A., **Merkel C.**, Amodio P., Bellon S., Bellumat A., Bolognesi M., Borsato M., Buttò M., Casson F.F., Cavallarin G., Cielo R., Cristina P., Cucci E., Donada C., Donadon V., Enzo E., Marin R., Mazzaro C., Miori R., Noventa F., Torboli P., Ruol A.  
Am J Gastroenterol 89: 1528-1536, 1994. (IF 2014 = 9.213)

139) Duplex Doppler sonographic evaluation of splanchnic and renal effects of single agent and combined therapy with nadolol and isosorbide-5-mononitrate in cirrhotic patients.  
Bolognesi M., Sacerdoti D., **Merkel C.**, Gatta A.  
J Ultrasound Med 13:945-952, 1994 (IF 2014 = 1.534)

140) Pharmacological prevention of variceal bleeding and rebleeding in cirrhosis.  
Gatta A, **Merkel C.**, Sacerdoti D, Bolognesi M.

Alpe Adria Microbiology Journal 2: 281-285, 1994.

141) Interobserver and inter-equipment variability of echo-doppler examination of the portal vein: effect of a cooperative training program.

Sabbà C., **Merkel C.**, Zoli M., Ferraioli G., Gaiani S., Sacerdoti D., Bolondi L.  
Hepatology 21: 428-433, 1995 (IF 2014 = 11.190) (*citazioni ricevute = 144*)

142) Hepatic arterial resistance in cirrhosis with and without portal vein thrombosis: relationship with portal hemodynamics.

Sacerdoti D., **Merkel C.**, Bolognesi M., Amodio P., Angeli P., Gatta A.  
Gastroenterology 108: 1152-1158, 1995 (IF 2014 = 13.926) (*citazioni ricevute = 117*)

143) Relationship between portal blood flow measured by image-directed Doppler ultrasonography and hepatic blood flow measured by indocyanine green constant infusion in patients with cirrhosis.

Bolognesi M., Sacerdoti D., **Merkel C.**, Gatta A.  
J Clin Ultrasound 23: 297-303 1995 (IF 2014 = 0.801)

144) Duplex Doppler ultrasonography allows a multiorgan noninvasive approach to splanchnic pharmacodynamics in patients with cirrhosis.

Bolognesi M., Sacerdoti D., **Merkel C.**, Caregaro L., Bellon S., Gatta A.  
Bildgebung – Abdominal Imaging 62: 138-142; 1995 (IF 2012 = 1.730)

145) Long-term effect of nadolol or nadolol plus isosorbide-5-mononitrate on renal function and ascites formation in patients with cirrhosis.

**Merkel C.**, Gatta A., Donada C., Enzo E., Marin R., Amodio P., Torboli P., Angeli P., Cavallarin G., Sebastianelli G., Susanna S., Mazzaro C, Beltrame P.  
Hepatology 22: 808-813, 1995 (IF 2014 = 11.190)

146) Visual attention orienting in liver cirrhosis without overt hepatic encephalopathy.

Amodio P, Marchetti P, Del Piccolo F, Sartori G, Prior M, **Merkel C**, Gatta A.  
Metab Brain Dis 10: 335-345, 1995 (IF 2014 = 2.398)

147) Effect of 8-day therapy with propionyl-L-carnitine on muscular and subcutaneous blood flow of the lower limbs in patients with peripheral arterial disease.

Bolognesi M, Amodio P, **Merkel C**, Godi L, Gatta A.  
Clin Physiol 15: 417-423, 1995. (IF 2014 = 1.376)

148) Cirrhosis and muscle cramps: evidence of a causal relationship.

Angeli P, Albino G, Carraro P, Dalla Pria M, **Merkel C**, Caregaro L, De Bei E, Bortoluzzi A, Plebani M, Gatta A.  
Hepatology 23: 264-273; 1996 (IF 2014 = 11.190) (*citazioni ricevute = 60*)

149) Interobserver and inter-equipment variability of echo-Doppler evaluation of the superior mesenteric artery.

Zoli M, **Merkel C**, Sabbà C, Sacerdoti D, Gaiani S, Ferraioli G, Bolondi L.  
J Ultrasound Med 15: 99-106, 1996 (IF 2014 = 1.532) (*citazioni ricevute = 49*)

150) Splenic Doppler impedance indices: influence of different portal hemodynamic conditions.

Bolognesi M, Sacerdoti D, **Merkel C**, Gerunda G, Maffei Faccioli A, Angeli P, Jemmolo RM, Bombonato G, Gatta A.  
Hepatology 23; 1035-1040, 1996. (IF 2014 = 11.190) (*citazioni ricevute = 77*)

151) Left ventricular diastolic function in liver cirrhosis.

Finucci GF, Desideri A, Sacerdoti D, Bolognesi M, **Merkel C**, Angeli P, Gatta A.  
Scand J Gastroenterol 31: 279-284, 1996 (IF 2014 = 2.329) (*citazioni ricevute = 92*)

152) Optimizing the time-frame for the definition of bleeding-related death after acute variceal bleeding in cirrhosis.

**Merkel C**, Gatta A, Bellumat A, Bolognesi M, Borsato L, Caregaro L, Cavallarin G, Cielo R, Cristina P, Cucci E, Donada C, Donadon V, Enzo E, Marin R, Mazzaro C, Sacerdoti D, Torboli P.  
Eur J Gastroenterol Hepatol 8: 75-79, 1996 (IF 2014 = 2.152)

153) Malnutrition in alcoholic and virus-related cirrhosis.

Caregaro L, Alberino F, Amodio P, **Merkel C**, Bolognesi M, Angeli P, Gatta A.  
Am J Clin Nutr 63: 602-609, 1996 (IF 2014 = 6.918) (*citazioni ricevute = 147*)

- 154) Short term effect of trans-catheter arterial chemoembolization on metabolic activity of the liver of cirrhotic patients with hepatocellular carcinoma.  
Bianco S, **Merkel C**, Savastano S, Bellon S, Chiesura Corona M, Bolognesi M, Miotto D, Enzo E, Feltrin G, Gatta A.  
Gut 39: 325-329; 1996. (IF 2014 = 13.319)
- 155) The course of galactose elimination capacity in patients with alcoholic cirrhosis: possible use as a surrogate marker for death.  
**Merkel C**, Marchesini G, Fabbri A, Bianco S, Bianchi G, Enzo E, Sacerdoti D, Zoli M, Gatta A.  
Hepatology 24: 820-823, 1996. (IF 2014 = 11.190)
- 156) Evaluation of a new endoscopic index to predict first bleeding from the upper gastrointestinal tract in patients with liver cirrhosis.  
Zoli M, **Merkel C**, Magalotti D, Marchesini G, Gatta A, Pisi E.  
Hepatology 24: 1047-1052, 1996. (IF 2014 = 11.190) (*citazioni ricevute* = 55)
- 157) Le basi fisiopatologiche del trattamento medico dell'ipertensione portale nella cirrosi.  
Gatta A, Bolognesi M, Sacerdoti D, **Merkel C**.  
Ann Ital Med Int 11 suppl 2: 39s-47s; 1996.
- 158) Randomised trial of nadolol alone or with isosorbide mononitrate for primary prophylaxis of variceal bleeding in cirrhosis.  
**Merkel C**, Marin R, Enzo E, Donada C, Cavallarini G, Torboli P, Amodio P, Sebastianelli G, Sacerdoti D, Felder M, Mazzaro C, Beltrame P, Gatta A.  
Lancet 348: 1677-1681; 1996. (IF2014 = 39.207) (*citazioni ricevute* = 115)
- 159) Effect of chronic therapy with nadolol on portal hemodynamics and on splanchnic impedance indices using Doppler sonography: comparison between acute and chronic effects.  
Bolognesi M, Sacerdoti D, **Merkel C**, Bombonato G, Enzo E, Gatta A.  
J Hepatol 26: 305-311, 1997 (IF 2014 = 10.401)
- 160) Nutritional and prognostic significance of insulin-like growth factor 1 in patients with liver cirrhosis.  
Caregaro L, Alberino F, Amodio P, **Merkel C**, Angeli P, Plebani M, Bolognesi M, Gatta A  
Nutrition 13: 185-190, 1997 (IF 2014 = 3.046)
- 161) Hemodynamic evaluation of the addition of isosorbide-5-mononitrate to nadolol in cirrhotic patients with insufficient response to the beta-blocker alone.  
**Merkel C**, Sacerdoti D, Bolognesi M, Enzo E, Marin R, Bombonato G, Angeli P, Gatta A.  
Hepatology 26: 34-39, 1997. (IF 2014 = 11.190) (*citazioni ricevute* = 81)
- 162) Interobserver and interequipment variability of hepatic, splenic, and renal arterial Doppler resistance indices in normal subjects and patients with cirrhosis.  
Sacerdoti D, Gaiani S, Buonamico P, **Merkel C**, Zoli M, Bolondi L, Sabbà C.  
J Hepatol 1997; 27: 986-992 (IF 2014 = 10.401) (*citazioni ricevute* = 68)
- 163) Nutritional and prognostic significance of serum hypothyroxinemia in hospitalized patients with liver cirrhosis.  
Caregaro L, Alberino F, Amodio P, **Merkel C**, Angeli P, Plebani M, Gatta A.  
J Hepatol 1998; 28: 115-121 (IF 2014 = 10.401)
- 164) Doppler sonography and hepatic vein catheterization in portal hypertension: assessment of agreement in evaluating severity and response to treatment.  
**Merkel C**, Sacerdoti D, Bolognesi M, Bombonato G, Gatta A.  
J Hepatol 1998; 28: 622-630. (IF 2014 = 10.401) (*citazioni ricevute* = 44)
- 165) Le associazioni terapeutiche nella profilassi primaria dell'emorragia digestiva nella cirrosi.  
**Merkel C**, Sacerdoti D, Bolognesi M, Gatta A.  
Giorn Ital End Dig 1998; 21: 1-5.
- 166) Updating prognosis of cirrhosis by Cox's regression model using Child-Pugh score and aminopyrine breath test as time-dependent covariates.  
**Merkel C**, Morabito A, Sacerdoti D, Bolognesi M, Angeli P, Gatta A.  
Ital J Gastroenterol Hepatol 1998; 30: 270-6. (IF 2014 = 2.889)

- 167) Visual attention in cirrhotic patients: a study on covert visual attention orienting.  
Amodio P, Marchetti P, Del Piccolo F, Campo G, Rizzo C, Iemmolo RM, Gerunda G, Caregaro L, **Merkel C**, Gatta A.  
Hepatology 1998; 27: 1517-23. (IF 2014 =11.190) (citazioni ricevute = 52)
- 168) Chianciano consensus conference on prognostic studies in hepatology (Editorial).  
Andersen PK, Bernardi M, Bianchi FB, Bircher J, Bolondi L, Christensen E, D'Amico G, van Houvelingen HC, Jézéquel AM, Liestoel K, Leevy CM, Marubini E, **Merkel C**, Morabito A, Neuberger J, Okolicsanyi L, Orlandi F, Pagliaro L, Rizzetto M, Sherlock S, Tygstrup N.  
Ital J Gastroenterol Hepatol 1998; 30: 580-3. (IF 2012 =2.889)
- 169) Clinical features and survival of cirrhotic patients with subclinical cognitive alterations detected by the number connection test and computerized psychometric tests.  
Amodio P, Del Piccolo F, Marchetti P, Angeli P, Iemmolo R, Caregaro L, **Merkel C**, Gerunda G, Gatta A.  
Hepatology 1999; 29: 1662-67. (IF 2014 = 11.190) (citazioni ricevute =141)
- 170) AISF practice guidelines for portal hypertension.  
Committee for portal hypertension of the Italian Association for the Study of the Liver: de Franchis R, **Merkel C**, Bolondi L, D'Amico G, Riggio O, Ziparo V.  
Ital J Gastroenterol Hepatol 1999; 31: 224-34. (IF 2014 =2.889)
- 171) Long-term clinical outcome after beta-interferon therapy in cirrhotic patients with chronic hepatitis C.  
Bernardinello E, Cavalletto L, Chemello L, Mezzocolli I, Donada C, Benvegnù L, **Merkel C**, Gatta A, Alberti A, and TVVH Study Group.  
Hepato-Gastroenterology 1999; 46: 3216-22. (IF 2014 = 0.907)
- 172) Portal hypertension: state of the art.  
Gatta A, Sacerdoti D, Bolognesi M, **Merkel C**.  
Ital J Gastroenterol Hepatol 1999; 31: 326-345. (IF 2014 =2.889)
- 173) Effect of chronic treatment with nadolol plus isosorbide mononitrate on liver blood flow and liver metabolic activity in cirrhosis.  
**Merkel C**, Sacerdoti D, Bolognesi M, Buonamico P, Sticca A, Amodio P, Angeli P, Micotti L, Gatta A.  
Eur J Gastroenterol Hepatol 1999; 11: 1221-1225. (IF 2014 = 2.152)
- 174) Natural history of cirrhotic patients with small esophageal varices: a prospective study.  
Zoli M, **Merkel C**, Magalotti D, Gueli C, Grimaldi M, Gatta A, Bernardi M.  
Amer J Gastroenterol 2000; 95:503-8. (IF 2014 =9.213) (citazioni ricevute = 55)
- 175) Long-term results of a clinical trial of nadolol with or without isosorbide mononitrate for primary prophylaxis of variceal bleeding in cirrhosis.  
**Merkel C**, Marin R, Sacerdoti D, Donada C, Cavallarin G, Torboli P, Amodio P, Sebastianelli G, Bolognesi M, Felder M, Mazza C, Gatta A and GTIP.  
Hepatology 2000; 31: 324-9. (IF 2014 = 11.190) (citazioni ricevute = 90)
- 176) Visceral fistula as a complication of endoscopic treatment of esophageal and gastric varices using isobutyl-2-cyanoacrylate: report of two cases.  
Battaglia G, Morbin T, Paternello E, **Merkel C**, Chiesura Corona M, Ancona E.  
Gastrointest Endosc 2000; 52: 267-270. (IF 2012 = 5.210) (citazioni ricevute = 21)
- 177) Arteriportal fistulas in patients with liver cirrhosis: usefulness of Color Doppler US for screening.  
Bolognesi M, Sacerdoti D, Bombonato G, Chiesura-Corona M, **Merkel C**, Gatta A.  
Radiology 2000, 216:738-743. (IF 2014 = 6.214)
- 178) Prognostic indicators of risk of first variceal bleeding in cirrhosis: a multicenter study in 711 patients to validate and improve the NIEC index.  
**Merkel C**, Zoli M, Siringo S, van Buuren H, Magalotti D, Angeli P, Sacerdoti D, Bolondi L, Gatta A.  
Amer J Gastroenterol 2000; 95: 2915-20 (IF 2014 =9.213) (citazioni ricevute =74)
- 179) The hemodynamic response to medical treatment of portal hypertension as a predictor of clinical effectiveness in the primary prophylaxis of variceal bleeding in cirrhosis.  
**Merkel C**, Bolognesi M, Sacerdoti D, Bombonato G, Bellini B, Bighin R, Gatta A.  
Hepatology 2000; 32: 930-934 (IF 2014 = 11.190) (citazioni ricevute = 162)

- 180) Beta-blockers plus nitrate for primary prophylaxis of variceal bleeding [Selected summary, comment & reply].  
Abou Assi S, Sanyal A, Schubert ML, **Merkel C**, Gatta A.  
Gastroenterology 2000; 119: 1170-1172. (IF 2012 = 13.926)
- 181) Hemodynamic effects of propranolol, octreotide, and their combination during fasting and post-prandial splanchnic hyperaemia in cirrhotic patients.  
Sabbà C., Buonamico P., Vendemiale G, Berardi E., Antonica G., Palmieri V., **Merkel C.**, Palasciano G.  
Eur J Gastroenterol Hepatol 2001; 13: 163-9. (IF 2014 =2.152)
- 182) Nutrition and survival in patients with liver cirrhosis.  
Alberino F, Gatta A, Amodio P, **Merkel C**, Di Pascoli L, Boffo G, Caregaro L.  
Nutrition 2001; 17: 445-450. (IF 2014 = 3.046) (*citazioni ricevute = 212*)
- 183) Prevalence and prognostic value of quantified electroencephalogram (EEG) alterations in cirrhotic patients.  
Amodio P, Del Piccolo F, Pettenò E, Mapelli D, Angeli P, Iemmolo R, Muraca M, Musto C, Gerunda G, Rizzo C, **Merkel C**, Gatta A.  
J Hepatol 2001; 35: 37-45. (IF 2014 = 11.190) (*citazioni ricevute = 97*)
- 184) Noninvasive grading of the severity of portal hypertension in cirrhotic patients by echo-color –Doppler.  
Bolognesi M, Sacerdoti D, **Merkel C**, Bombonato G, Gatta A.  
Ultrasound Med Biol 2001; 27: 901-7. (IF 2014 = 2.099) (*citazioni ricevute = 49*)
- 185) Endoscopic screening for esophageal varices in cirrhotic patients. [letter]  
Riggio O, Angeloni S, Nicolini G, Merli M, **Merkel C**.  
Hepatology 2002; 35:501-2 (IF 2014 =11.190)
- 186) Change in portal flow after liver transplantation: Effect on hepatic arterial resistance indices and role of spleen size.  
Bolognesi M, Sacerdoti D, Bombonato G, **Merkel C**, Sartori G, Merenda R, Nava V, Angeli P, Feltracco P, Gatta A.  
Hepatology. 2002; 35:601-8. (IF 2014 = 11.190) (*citazioni ricevute = 71*)
- 187) Role of spleen enlargement in cirrhosis with portal hypertension.  
Bolognesi M, **Merkel C**, Sacerdoti D, Nava V, Gatta A.  
Digest Liver Dis 2002; 34:144-50. (IF 2014 =2.889) (*citazioni ricevute = 76*)
- 188) Comparison between two high-dose methylprednisolone schedules in the treatment of acute hepatic cellular rejection in liver transplant recipients: A controlled clinical trial.  
Volpin R, Angeli P, Galioto A, Fasolato S, Neri D, Barbazza F, Merenda R, Del Piccolo F, Strazzabosco M, Casagrande F, Feltracco P, Sticca A, **Merkel C**, Gerunda G, Gatta A.  
Liver Transpl. 2002; 8: 527-34 (IF 2014 = 3.793)
- 189) A Randomized Controlled Trial of Medical Therapy Versus Endoscopic Ligation for the Prevention of Variceal Rebleeding in Patients With Cirrhosis  
Patch D, Sabin CA, Goulis J, Gerunda G, Greenslade L, **Merkel C**, and Burroughs AK  
Gastroenterology 2002; 123: 1013-1019 (IF 2014 =13.926) (*citazioni ricevute = 158*)
- 190) Portal hypertension and portal hypertensive gastropathy in patients with liver cirrhosis: a Hemodynamic study.  
**Merkel C**, Schipilliti M, Bighin R, Bellini B, Angeli P, Bolognesi M, Vescovi F, Gatta A.  
Dig Liver Dis 2003; 35:269-274 (IF 2014 =2.889).
- 191) Incidence and natural history of small esophageal varices in cirrhotic patients.  
Merli M, Nicolini G, Angeloni G, Rinaldi V, De Santis A, **Merkel C**, Attili AF, Riggio O.  
J Hepatol 2003; 38:266-272 (IF 2014 =10.401) (*citazioni ricevute = 179*)
- 192) Non-selective beta-blockers plus nitrates in portal hypertension: an open question. [Editorial]  
**Merkel C**.  
Hepatology 2003; 37: 1254-1256. (IF 2012 = 11.190)
- 193) A placebo-controlled clinical trial of nadolol in the prophylaxis of growth of small esophageal varices in cirrhosis.  
**Merkel C**, Marin R, Angeli P, Zanella P, Felder M, Bernardinello E, Cavallarin G, Bolognesi M, Donada C, Bellini B, Torboli P, Gatta A, and the Gruppo Triveneto per l'Ipertensione Portale (GTIP).  
Gastroenterology 2004 (127: 476-484) (IF 2014 = 13.926) (*citazioni ricevute = 141*)

- 194) Acute liver rejection: accuracy and predictive value of echo-Doppler measurements: initial experience.  
Bolognesi M, Sacerdoti D, Mescoli C, Nava V, Bombonato G, **Merkel C**, Merenda R, Angeli P, Rugge M, Gatta A.  
*Radiology* 2005; 235: 651-658. (IF 2014 = 6.214)
- 195) Heme-oxygenase mediates hyporeactivity to phenylephrine in the mesenteric vessels of cirrhotic rats with ascites.  
Bolognesi M, Sacerdoti D, Di Pascoli M, Angeli P, Quarta S, Sticca A, Pontisso P, **Merkel C**, Gatta A.  
*Gut* 2005; 54:1630-6 (IF 2014 =13.319)
- 196) Disagreement between acute and chronic hemodynamic effects of nadolol in cirrhosis: A pathophysiological interpretation.  
**Merkel C**, Bolognesi M, Sacerdoti D, Bombonato G, Cavasin L, Gatta A.  
*Aliment Pharmacol Ther* 2005 22:433-9 (I.F.2014 = 5.478)
- 197) Can beta-blockers prevent the enlargement of small varices?  
**Merkel C**, Marin R, Angeli P, de Franchis R.  
*Evidence-Based Gastroenterology* 2005; 6: 7-8.
- 198) Switch therapy with ciprofloxacin vs. intravenous ceftazidime in the treatment of spontaneous bacterial peritonitis in patients with cirrhosis: similar efficacy at lower cost.  
Angeli P, Guarda S, Fasolato S, Miola E, Craighero R, Piccolo F, Antona C, Brollo L, Franchin M, Cillo U, **Merkel C**, Gatta A.  
*Aliment Pharmacol Ther.* 2006; 23:75-84 (I.F. 2014 = 5.478) (citazioni ricevute: 47)
- 199) Different hemodynamic patterns of alcoholic and viral endstage cirrhosis: analysis of explanted liver weight, degree of fibrosis and splanchnic Doppler parameters  
Bolognesi M, Sacerdoti D, Mescoli C, Bombonato G, Cillo U, Merenda R, Giacomelli L, **Merkel C**, Rugge M, Gatta A.  
*Scand J Gastroenterol.* 2007;42:256-62 (IF 2014 = 2.329)
- 200) Carbon monoxide-mediated activation of large-conductance calcium-activated potassium channels contributes to mesenteric vasodilatation in cirrhotic rats.  
Bolognesi M, Sacerdoti D, Piva A, Di Pascoli, Zampieri S, Quarta S, Motterlini R, Angeli P, **Merkel C**, Gatta A.  
*J Pharmacol Exp Ther.* 2007 ; 321:187-94 (IF 2014: 3.855)
- 201) New abdominal collaterals at ultrasound: A clue of progression of portal hypertension.  
Berzigotti A, **Merkel C**, Magalotti D, Tiani C, Gaiani S, Sacerdoti D, Zoli M  
*Dig Liver Dis.* 2008; 40: 62-67 (IF 2014: 2.889)
- 202) Vasoactive factors and hemodynamic mechanisms in the pathophysiology of portal hypertension in cirrhosis.  
Gatta A, Bolognesi M, **Merkel C**.  
*Mol Aspects Med.* 2008; 29: 119-129 (IF 2014 = 10.302)
- 203) Pathogenesis and management of hepatorenal syndrome in patients with cirrhosis. [Review Article]  
Angeli P, **Merkel C**.  
*J Hepatol* 2008; 48 suppl 1: 93-103 (IF 2014 = 10.401)
- 204) Hepatitis C virus reinfection in liver transplant patients: Evaluation of liver damage progression with echo-color doppler.  
Bolognesi M, Quaglio C, Bombonato G, Guido M, Cavalletto L, Chemello L, **Merkel C**, Rugge M, Gatta A, Sacerdoti D.  
*Liver Transpl.* 2008 14: 616-624. (IF 2014= 3.793)
- 205) Squamous cell carcinoma antigen-1 (SERPINB3) polymorphism in chronic liver disease.  
Turato C, Ruvoletto MG, BiasioloA, Quarta S, Tono N, Bernardinello E, Beneduce L, Fassina G, Cavalletto L, Chemello L, **Merkel C**, Gatta A, Pontisso P.  
*Dig Liver Dis.* 2009; 41: 212-6 (IF 2014: 2.889)
- 206) A short cut to predict the clinical response to beta-blocker therapy in cirrhosis? [Editorial]  
**Merkel C**.  
*J Hepatol* 2009; 51:268-270. (IF2014 = 10.401)
- 207) Clinical significance of worsening portal hypertension during long-term medical treatment in patients with cirrhosis who had been classified as early good-responders on haemodynamic criteria.

- Merkel C**, Bolognesi M, Berzigotti A, Amodio P, Cavasin L, Casarotto IM, Zoli M, Gatta A  
J Hepatol 2010; 52: 45-53 (IF 2014 = 10.401)
- 208) Serpin B3 modulates TGF-beta expression in chronic liver disease.  
Turato C, Calabrese F, Biasiolo A, Quarta S, Ruvoletto M, Tono N, Paccagnella G, Fassina G, **Merkel C**, Harrison TJ, Gatta A, and Pontisso P  
Lab Invest 2010; 90:1016-23 (IF2012 = 3.828)
- 209) EASL Clinical Practice Guidelines on the management of ascites, spontaneous bacterial peritonitis, and hepatorenal syndrome in cirrhosis.  
European Association for the Study of the Liver, Ginès P, Angeli P, Lenz K, Møller S, Moore K, Moreau R, **Merkel C**, Ring-Larsen H, Bernardi M.  
J Hepatol 2010 53: 397-417 (IF 2014 = 10.401) (*citazioni ricevute = 303*)
- 210) The Hunter and the Pianist: Two Hepatic Encephalopathy Tales.  
Montagnese S, Cona G, Schiff S, Maresio G, Gatta A, **Merkel C**, Amodio P  
J Clin Gastroenterol 2011; 45:563-6. (IF 2014 = 3.186)
- 211) Revising consensus in portal hypertension: Report of the Baveno V consensus workshop on methodology of diagnosis and therapy in portal hypertension  
R de Franchis, on behalf of the Baveno V Faculty (Bosch J, Burroughs AK, D'Amico G, de Franchis R, Garcia-Tsao G, Grace ND, Groszmann RJ, Lebec D, **Merkel C**, Primignani M, Salerno F, Sarin SK, Sørensen TI)  
J Hepatol 2010; 53: 762-81 (IF 2014 = 10.4019) (*citazioni ricevute = 290*)
- 212) Reversal of hepatic myelopathy after liver transplantation: 15 plus 1. [Letter to the Editor]  
Baccarani U, Zola E, Adani GL, Cavalletti M, Schiff S, Cagnin A, Poci C, **Merkel C**, Amodio P, Montagnese S  
Liver Transpl 2010; 16:1336-7. (IF 2014 = 3.793)
- 213) Should we routinely measure portal pressure in patients with cirrhosis, using HVPG as guidance for prophylaxis and treatment of bleeding and re-bleeding? YES!  
**Merkel C**, Montagnese S.  
Eur J Intern Med 2011;22:1-4 (IF 2014 = 2.300)
- 214) Heme oxygenase regulates renal arterial resistance and sodium excretion in cirrhotic rats.  
Di Pascoli M, Zampieri F, Quarta S, Sacerdoti D, **Merkel C**, Gatta A, Bolognesi M.  
J Hepatol. 2011; 54:258-64. (IF 2014 = 10.401)
- 215) Hepatic venous pressure gradient measurement in clinical hepatology.  
**Merkel C**, Montagnese S.  
Dig Liver Dis 2011; 43: 762-7. (IF 2014 = 2.889)
- 216) A simplified psychometric evaluation for the diagnosis of minimal hepatic encephalopathy.  
Riggio O, Ridola L, Pasquale C, Pentassuglio I, Nardelli S, Moscucci F, Trezza M, Merli M, Attili AF, Montagnese S, Amodio P, **Merkel C**  
Clin Gastroenterol Hepatol 2011; 9:613-616. (IF 2014 = 6.534)
- 217) Increased myoendothelial gap junctions mediate the enhanced response to epoxyeicosatrienoic acid and acetylcholine in mesenteric arterial vessels of cirrhotic rats.  
Bolognesi M, Zampieri F, Di Pascoli M, Verardo A, Turato C, Calabrese F, Lunardi F, Pontisso P, Angeli P, **Merkel C**, Gatta A, Sacerdoti D.  
Liver Int. 2011; 31:883-92. (IF 2014 = 4.412)
- 218) Electroencephalography in Patients with Cirrhosis.  
P. Marchetti, C. D'Avanzo, R. Orsato, S. Montagnese, S. Schiff, P.W. Kaplan, F. Piccione, **C. Merkel**, A. Gatta, G. Sparacino, G.M. Toffolo, P. Amodio  
Gastroenterology 2011; 141: 1680-1689. (IF 2014 = 13.926)
- 219) Bright times for patients with cirrhosis and delayed sleep habits: a case report of the beneficial effect of light therapy.  
De Rui M, Gaiani S, Middleton B, Skene DJ, Schiff S, Gatta A, **Merkel C**, Amodio P, Montagnese S.  
Amer J Gastroenterol 2011;106: 2048-49. (IF 2014 = 9.213)
- 220) Attention: Minimal hepatic encephalopathy and road accidents [Editorial]



- Amodio P, Montagnese S, **Merkel C**.  
Hepatology 2012; 55: 985-987. (IF 2014 = 11.190)
- 221) Encephalopathy or hepatic encephalopathy? [Letter to the Editor]  
Montagnese S, **Merkel C**, Amodio P.  
J Hepatol 2012; 57: 928-929 (IF 2014 = 10.401)
- 222) EASL Recognition Awardee 2012: Professor Helmer Ring-Larsen. [Editorial]  
**Merkel C**.  
J Hepatol 2012; 57:239-240. (IF 2014 = 10.401)
- 223) Simple tools for complex syndromes: a three-level difficulty test for hepatic encephalopathy.  
Montagnese S, Schiff S, Turco M, Bonato CA, Ridola L, Gatta A, Nousfaum JB, Riggio O, **Merkel C**, Amodio P.  
Digestive and Liver Disease 2012 Jul 19 Epub ahead of print doi: 10.1016/j.dld.2012.06.010 (IF 2014 = 2.889)
- 224) Secondary prophylaxis in patients who have experienced portal hypertensive bleeding  
**Merkel C**, Montagnese S.  
Clinical Liver Disease 2012; 1:155-157. (IF 2014 = 2.703)
- 225) IgM-linked serpinB3 and serpin B4 in sera of patients with chronic liver disease.  
Biasiolo A, Tono N, Ruvoletto M, Quarta S, Turato C, Villano G, Beneduce L, Fassina G, **Merkel C**, Gatta A, Pontisso P.  
PLoS One 2012; 7:e40658. Epub 2012 Jul 13. (IF 2014 = 3.534)
- 226) Ammonia-related changes in cerebral electrogenesis in healthy subjects and patients with cirrhosis.  
Bersagliere A, Raduazzo ID, Schiff S, Gatta A, **Merkel C**, Amodio P, Achermann P, Montagnese S.  
Clin Neurophysiol 2013; 124:492-6 . doi: 10.1016/j.clinph.2012.08.014. (IF 2014 = 2.979)
- 227) Excessive daytime sleepiness and hepatic encephalopathy: it is worth asking.  
De Rui M, Schiff S, Aprile D, Angeli P, Bombonato G, Bolognesi M, Sacerdoti D, Gatta A, **Merkel C**, Amodio P,  
Montagnese S.  
Metab Brain Dis 2013 28: 245-248 (IF 2014 = 2.398)
- 228) Depression, anxiety and alexithymia symptoms are major determinants of health related quality of life (HRQoL) in cirrhotic patients.  
Nardelli S, Pentassuglio I, Pasquale C, Ridola L, Moscucci F, Merli M, Mina C, Marianetti M, Fratino M, Izzo C, **Merkel C**, Riggio O.  
Metab Brain Dis 2013; 28:239-243 (IF 2014 = 2.398)
- 229) Chronic kidney disease after liver transplantation: pre-transplant risk factors and predictors during follow-up.  
Giusto M, Berenguer M, **Merkel C**, Aguilera V, Rubin A, Giannini Corradini S, Mennini G, Rossi M, Prieto M, Merli M.  
Transplantation 2013; 95: 1148-1153 (IF 2014 = 3.781)
- 230) Specificity of squamous cell carcinoma antigen (SCCM)-Igm detection in patients with HCV infection and rheumatoid factor seropositivity.  
Biasiolo A, Tono N, Zaninotto M, **Merkel C**, Fassina G, Plebani M, Gatta A, Pontisso P.  
J Med Virol 2013; 85: 1005-8. (IF 2014 = 2.217)
- 231) Serpin-B3 is associated with longer survival in transgenic mice.  
Villano G, Ruvoletto M, Ceolotto G, Quarta S, Calabrese F, Turato C, Tono N, Biasiolo A, Cattelan A, **Merkel C**,  
Avogaro A, Gatta A, Pontisso P.  
Sci Rep 2013; 3:3056 doi:10.1038/srep03056 (IF 2014 = 5.078)
- 232) Prophylaxis of variceal bleeding in cirrhosis  
**Merkel C**, Amodio P, Montagnese S.  
J Clin Exp Hepatol 2013; 3:198-203 (IF 2014 = in corso di definizione)
- 233) Sleep-wake abnormalities in patients with cirrhosis.  
Montagnese S, De Pittà C, De Rui M, Corrias M, Turco M, **Merkel C**, Amodio P, Costa R, Skene DJ, Gatta A.  
Hepatology 2014; 59:705-12. (IF 2014 = 11.190)
- 234) Prognostic benefit of the addition of a quantitative index of hepatic encephalopathy to the MELD score: the MELD-EEG.

- Montagnese S, De Rui M, Schiff S, Ceranto E, Valenti P, Angeli P, Cillo U, Zanus G, Gatta A, Amodio P, **Merkel C**.  
Liver Int 2014 Feb 12 (Epub ahead of print) (IF 2014 = 4.412)
- 235) Casula EP, PS Bisiacchi, Corrias M, Schiff S, **Merkel C**, Amodio P, Montagnese S.  
Acute hyperammonaemia induces a sustained decrease in vigilance, which is modulated by caffeine.  
Metab Brain Dis 2014; doi 10.1007/s 11011-014-9590-8 (IF 2014 = 3.611)
- 236) Di Pascoli L, Buja A, Bolognesi M, Montagnese S, Gatta A, Gregori D, **Merkel C**.  
Cost-effectiveness analysis of beta-blockers vs. endoscopic surveillance in patients with cirrhosis and small varices.  
World J Gastroent 2014; 20:10464-9. (IF 2014 = 2.433)
- 237) Cognitive impairment and electroencephalographic alterations in liver transplant candidates: what is reversible after liver transplantation?  
Campagna F, Montagnese S, Schiff S, Biancardi A, Mapelli D, Angeli P, Poci C, Cillo U, **Merkel C**, Gatta A, Amodio P.  
Liver Transplantation 2014; 20: 977-986. (IF 2014 = 3.793)
- 238) Confounders in the detection of minimal hepatic encephalopathy: a neuropsychological and quantified EEG study.  
Campagna F, Montagnese S, Schiff S, Ruzzoli M, Biancardi A, Iannizzi P, Pujatti PL, Angeli P, Gatta A, **Merkel C**, Leandro G, Mapelli D, Amodio P.  
Liver Int 2014 Jul 9. Doi: 10.1111/liv.12635. Epub ahead of print. (IF = 4.412)
- 239) The influence of environmental factors on sleep quality in hospitalized medical patients.  
Bano M, Chiaromanni F, Corrias M, Turco M, De Rui M, Amodio P, **Merkel C**, Gatta A, Mazzotta G, Costa R., Montagnese S.  
Front Neurol (in press) published Dec 11, 2014 doi: 10.3389/fneur2014.00267. (IF 2014 = in corso di definizione)
- 240) Covert hepatic encephalopathy: agreement and predictive validity of different indices.  
Montagnese S, Balistreri E, Schiff S, De Rui M, Angeli P, Zanus G, Cillo U, Bombonato G, Bolognesi M, Sacerdoti D, Gatta A, **Merkel C**, Amodio P.  
World J Gastroenterol 2014; 20: 15756-62. (IF 2014 = 2.433)
- 241) Covert hepatic encephalopathy: does the mini-mental state examination help?  
Corrias M, Turco M, De Rui MD, Gatta A, Angeli P, Merkel C, Amodio P, Schiff S, Montagnese S.  
J Clin Exp Hepatol 2014; 4:89-93.
- 242) HVC genotype 3 and squamous cell carcinoma antigen (SCCA)-IgM are independently associated with histological features of NASH in HCV infected patients.  
Martini A, Fattovich G, Guido M, Bugianesi E, Biasiolo A, Ieluzzi D, Gallotta A, Fassina G, **Merkel C**, Gatta A, Negro F, Pontisso P.  
J Viral Hepat (in press) 2015 Jan 22 doi: 10.1111/jvh.12394. (IF 2014 = 3.307)
- 243) The self-morningness/eveningness (Self-ME): an extremely concise and totally subjective assessment of diurnal preference.  
Turco M, Corrias M, Chiaromanni F, Bano M, Salamanca M, Caccin L, Merkel C, Amodio P, Romualdi C, De Pittà C, Costa R, Montagnese S.  
Chronobiol Int 2015 Oct 9: 1-9 (Epub Ahead of print) (IF 2014: 3.341)
- 244 Expanding consensus in portal hypertension: Report of the Baveno VI consensus workshop: stratifying risk and individualizing care for portal Hypertension.  
de Franchis R, Baveno VI Faculty.  
J Hepatol 2015; 63:743-752 (IF 2014: 10.401)
- 245) Hemostatic balance in patients with liver cirrhosis: Report of a consensus conference.  
Andriulli A, Tripodi A, Angeli P, Senzolo M, Primignani M, Giannini EG, Riggio O, Colli A, Prati D, Sacerdoti D, Merkel C, Basili S, Ferro D, Villa E, Di Minno G, Caraceni P, Marzioni M, Mannucci PM, Violi F.  
Dig Liver Dis 2016; 48:455-467
- 246) Campagna F, Montagnese S, Ridola L, Senzolo M, Schiff S, De Rui M, Pasquale C, Nardelli S, Pentassuglio I, Merkel C, Angeli P, Riggio O, Amodio P.  
The animal naming test: an easy tool for the assessment of hepatic encephalopathy.  
Hepatology 2017; 66: 198-208

---

Lavori in cui è autore come membro di un gruppo di studio indicato alla fine del testo:

- Updating consensus in portal hypertension: report of the Baveno III Consensus Workshop on definitions, methodology and therapeutic strategies in portal hypertension.

R. de Franchis, on behalf of the Baveno III Chairpersons and Panelists

J Hepatol. 2000 Nov;33(5):846-52 (IF 2012 = 9.858)

- Evolving Consensus in Portal Hypertension: Report of the Baveno IV Consensus Workshop on methodology of diagnosis and therapy in portal hypertension

R. de Franchis, on behalf of the Baveno IV Chairpersons and Panelists

J Hepatol. 2005; 43:167-76 (IF 2012 = 9.858)

- Portal hypertension and variceal bleeding – unresolved issues. Summary of an American Association for the Study of Liver Disease and European Association for the Study of the Liver single-topic conference.

Garcia-Tsao G, Bosch J, Groszmann RJ (expert panel).

Hepatology 2008; 47: 1764-1771 (IF 2012: 12.003)