

Venuta A., Moret F., Dal Poggetto G., Esposito D., Fraix A., Avitabile C., Ungaro F., Malinconico M., Sortino S., Romanelli A., Laurienzo P., **Reddi E.**, Quaglia F.

Shedding light on surface exposition of poly(ethylene glycol) and folate targeting units on nanoparticles of poly( $\epsilon$ -caprolactone) diblock copolymers: Beyond a paradigm

*Eur. J. Pharm. Sci.* **111**: 177-185 (2018)

Moret F., **Reddi E.**

Strategies for optimizing the delivery to tumors of macrocyclic photosensitizers used in photodynamic therapy (PDT).

*J. Porphyrins Phtalocyanines* **21**: 239–256 (2017)

Gaio E., Scheglmann D., **Reddi E.**, Moret F.

Uptake and photo-toxicity of Foscan <sup>®</sup>, Foslip <sup>®</sup> and Fospeg <sup>®</sup> in multicellular tumor spheroids

*J. Photochem. Photobiol B* **161**: 244-252 (2016)

Pellosi D. S., Moret F., Fraix A., Marino N., Maiolino S., Gaio E., Hioka N., **Reddi E.**, Sortino S., Quaglia F

Pluronic P123/F127 mixed micelles delivering Sorafenib and its combination with Verteporfin in cancer cells

*Int J Nanomedicine.* **11**: 4479–4494. (2016)

Conte C., Fotticchia I., Tirino P., Moret F., Pagano B., Gref R., Ungaro F., **Reddi E.**, Giancola C., Quaglia F

Cyclodextrin-assisted assembly of PEGylated polyester nanoparticles decorated with folate.

*Colloids Surf. B Biointerfaces* **141**: 148-157 (2016)

Pellosi D. S., Tessaro A. L., Moret F., Gaio E., **Reddi E.**, Caetano W., Quaglia F., Hioka N.

Pluronic<sup>®</sup> mixed micelles as efficient nanocarriers for benzoporphyrin derivatives applied to photodynamic therapy in cancer cells.

*J. Photochem. Photobiol. A: Chem.* **314**: 143-154 (2016)

Ruiz-González R., Agut M., **Reddi E.**, Nonell S.

A comparative study on two cationic porphycenes: photophysical and antimicrobial photoinactivation evaluation.

*Int. J. Mol. Sci.* **16**: 27072-27086 (2015)

Moret F., Gobbo M., **Reddi E.**

Conjugation of photosensitisers to antimicrobial peptides increases the efficiency of photodynamic therapy in cancer cells

*Photochem. Photobiol Sci.* **14**: 1238-1250 (2015)

Maiolino S., Moret F., Conte C., Fraix A., Tirino P., Ungaro F., Sortino S., **Reddi E.**, Quaglia F.

Hyaluronan-decorated polymer nanoparticles targeting CD44 receptor for the combined photo/chemo-therapy of cancer.

*Nanoscale* **7**: 5643-5653 (2015)

Moret F., Selvestrel F., Lubian E., Mognato M., Celotti L., Mancin F., **Reddi E.**

PEGylation of ORMOSIL nanoparticles differently modulates the in vitro toxicity toward human lung cells.

*Arch. Toxicol.* **89**: 607-620 (2015)

Dosselli R., Ruiz-González R., Moret F., Agnolon V., Compagnin C., Mognato M., Sella V., Agut M., Nonell S., Gobbo M., **Reddi E.**

Synthesis, Spectroscopic, and Photophysical Characterisation and photosensitizing activity toward prokaryotic and eukaryotic cells of porphyrin-magainin and -butorin conjugates.

*J. Med. Chem.* **57**: 1403-1415 (2014)

Selvestrel F., Moret F., Segat D., Woodhams J.H., Fracasso G., Rio Echevarria I., Baù L., Rastrelli F., Compagnin C., **Reddi E.**, Fedeli C., Papini E., Tavano R., Mackenzie A., Bovis M., Yaghini E., MacRobert A.J., Zanini S., Boscaini A., Colombatti M., Mancin F.

Targeted delivery of photosensitizers: efficacy and selectivity issues revealed by multifunctional ORMOSIL nanovectors in cellular systems.

*Nanoscale* **5**, 6106-6116 (2013)

Moret F., Scheglmann D., **Reddi E.**

Folate-targeted PEGylated liposomes improve the selectivity of PDT with meta-tetra(hydroxyphenyl)-chlorin (mTHPC)

*Photochem. Photobiol. Sci.* **12**, 823-834 (2013)

Dosselli R., Tampieri C., Ruiz-Gonzalez R., De Munari S., Ragas X., Sanchez-Garcia D., Agut M., Nonell S., **Reddi E.**, Gobbo Marina.

Synthesis, characterization and photoinduced antibacterial activity of porphyrin-type photosensitizers conjugated to the antimicrobial peptide Apidaecin 1b.

*J. Med. Chem.* **56**: 1052-1063 (2013)

Dosselli R., Millionsi R., Puricelli L., Tessari P., Arrigoni G., Franchin C., Segalla A., Teardo E., **Reddi E.**

Molecular targets of antimicrobial photodynamic therapy identified by a proteomic approach.

*J. Prot.* **77**: 329-343 (2012)

Fede C., Selvestrel F., Compagnin C., Mognato M., Mancin F., **Reddi E.**, Celotti L.

The toxicity outcome of silica nanoparticles (Ludox®) is influenced by testing techniques and treatment modalities.

*Anal. Bioanal. Chem.* **404**: 1789-1802 (2012)

Rojnik M., Kocbek P., Moret F., Compagnin C., Celotti L., Bovis M.J., Woodhams J.H., MacRobert A.J., Scheglmann D., Helfrich W., Verkaik M.J., Papini E., **Reddi E.**, Kos J.

Characterisation in vitro and in vivo of temoporfin-loaded PEGylated PLGA nanoparticles for use in photodynamic therapy.

*Nanomedicine-UK* **7**: 663-677 (2012)

Compagnin C., Moret F., Celotti L., Miotto G., Woodhams J., MacRobert A.J., Scheglmann D., Iratni S., **Reddi E.**

Meta-tetra(hydroxyphenyl)chlorin-loaded liposomes sterically stabilised with poly(ethylene glycol) of different length and density: characterisation, in vitro cellular uptake and phototoxicity.

*Photochem. Photobiol. Sci.* **10**: 1751-1759 (2011)

Tavano R., Segat D., **Reddi E.**, Kos J., Rojnik M., Kocbek P., Iratni S., Scheglmann D., Colucci M., Rio Echevarria I.M., Selvestrel F., Mancin F., Papini E.

Procoagulant properties of bare and highly PEGylated vinyl-modified silica nanoparticles.

*Nanomedicine-UK* **5**: 881-896 (2010)

Dosselli R., Gobbo M., Bolognini E., Campestrini S., **Reddi E.**

Porphyrin-apidaecin conjugate as a new broad spectrum antibacterial agent

*ACS Med. Chem. Letters* **1**: 35-38 (2010)

Rio-Echevarria I.M., Selvestrel F., segat D., Guarino G., Tavano R., Causin V., **Reddi E.**, Papini E., Mancin F.

Highly PEGylated silica nanoparticles: “ready to use” stealth functional nanocarriers  
*J. Mater. Chem.* **20**: 2780-2787 (2010)

Canti G., Calastretti A., Bevilacqua A., **Reddi E.**, Palumbo G., Nicolin A.  
Combination of photodynamic therapy + immunotherapy + chemotherapy in murine leukiemia  
*Neoplasma* **57**: 184-188 (2010)

Compagnin C., Mognato M., Celotti L., Canti G., Palumbo G., **Reddi E.**  
Cell proliferation and cell cycle alterations in oesophageal p53-mutated cancer cells treated with cisplatin combined with photodynamic therapy.  
*Cell Prolif* **43**: 262-274 (2010)

Compagnin C., Baù L., Mognato M., Celotti L., Miotto G., Arduini M., Moret F., Fede C., Selvestrel F., Rio Echevarria I.M., Mancin F., **Reddi E.**  
The cellular uptake of meta-tetra(hydroxyphenyl)chlorin entrapped in organically modified silica nanoparticles is mediated by serum proteins.  
*Nanotechnology* **20**: 345101 (2009)

Gobbo M., Benincasa M., Bertoloni G., Biondi B., Dosselli R., Papini E., **Reddi E.**, Rocchi R., Tavano R., Gennaro R.  
Substitution of the arginine/leucine residues in apidaecin Ib with peptoid residues: effect on antimicrobial activity, cellular uptake, and proteolytic degradation.  
*J. Med Chem.* **52**: 5197-5206 (2009)

Crescenzi E., Chiaviello A., Canti G., **Reddi E.**, Veneziani B.M., Palumbo .  
Low doses of cisplatin or gemcitabine plus Photofrin-photodynamic therapy: disjointed cell cycle phase-related activity accounts for synergistic outcome in metastatic non-small cell lung cancer cells (H1299).  
*Mol. Cancer Ther.* **5**: 776-785 (2006)

Miolo G., Levorato L., Gallochio F., Caffieri F., Bastianon C., Zanoni R., **Reddi E.**  
In vitro phototoxicity of phenothiazines: involvement of stable UVA photolysis products formed in aqueous medium.  
*Chem. Res. Toxicol.* **19**: 156-163 (2006)

Marzano C., Bettio F., Chilin A., Caffieri S., **Reddi E.**, Bordin F.  
Mechanism of action of 4-hydroxymethyl-1,6,8-trimethylfuro[2,3-h]quinolin-2(1H)-one, a very active angular furocoumarin-like sensitizer.  
*Photochem. Photobiol.* **81**: 1371-1379 (2005)

Canova S., Fiorasi F., Mognato M., Grifalconi M., **Reddi E.**, Russo A., Celotti L.  
“Modeled microgravity” affects cell response to ionizing radiation and increases genomic damage.  
*Radiat. Res.* **163**: 191-199 (2005)

Bastianon C., Zanoni R., Miolo G., Caffieri S., **Reddi E.**  
Mitochondria and plasma membrane as targets of UVA-induced toxicity of neuroleptic drugs fluphenazine, perphenazine and thioridazine.  
*Int. J. Biochem. Cell Biol.* **37**: 901-908 (2005)

Ricchelli F., Franchi L., Miotto G., Borsetto L., Gobbo S., Nikolov P., Bommer J.C., **Reddi E.**

Meso-substituted tetra-cationic porphyrins photosensitize the death of human fibrosarcoma cells via lysosomal targeting.

*Int. J. Biochem. Cell Biol.* **37**: 306-319 (2005)

Segalla A., Borsarelli C.D., Braslavsky S.E., Spikes J.D., Roncucci G., Dei D., Chiti G., Jori G., **Reddi E.**

Photophysical, photochemical and antibacterial activity of a novel octacationic Zn(II)-phthalocyanine.

*Photochem. Photobiol. Sci.* **1**: 641-648 (2002)

**Reddi E.**, Ceccon M., Valduga G., Jori G., Bommer J.C., Elisei F., Latterini L., Mazzucato U. Photophysical properties and antibacterial activity of meso-substituted cationic porphyrins.

*Photochem. Photobiol.*, **75**: 462-470 (2002)

Polo L., Valduga G., Jori G., **Reddi E.**

Low-density lipoprotein receptors in the uptake of tumour photosensitizers by human and rat transformed fibroblasts.

*Int. J. Biochem. Cell Biol.* **34**: 10-23 (2002)

Fabris C., Valduga G., Miotto G., Borsetto L., Jori G., Garbisa S., **Reddi E.**

Photosensitization with Zn(II) phthalocyanine as a switch in the decision between apoptosis and necrosis.

*Cancer Res.* **61**: 7495-7500 (2001)

Polo L., Segalla A., Bertoloni G., Jori G., Schafner K., **Reddi E.**

Polylysine-porphycene conjugates as efficient photosensitizers for the inactivation of microbial pathogens.

*J. Photochem. Photobiol., B. Biol.*, **59**: 152-158 (2001)

Kassab K., Fabris C., Defilippis M.P., Dei D., Fantetti L., Roncucci G., **Reddi E.**, Jori G.

Skin-photosensitizing properties of Zn(II)-2(3), 9(10), 16(17), 23(24)-tetrakis-(4-oxy-N-methylpiperidiny)phthalocyanine topically administered to mice.

*J. Photochem. Photobiol., B. Biol.*, **55**: 128-137 (2000)

Valduga G., Breda B., Giacometti G.M., Jori G., **Reddi E.**

Photosensitization of wild and mutant strains of *Escherichia coli* by meso-tetra(N-methyl-4-pyridil)porphine.

*Biochem. Biophys. Res. Comm.* **256**: 84-88 (1999)

Busetti A., Soncin M., **Reddi E.**, Rodgers M.A.J., Kenney M.E., Jori G.

Photothermal sensitization of amelanotic melanoma cells by Ni(II)-octabutoxy-naphthalocyanine.

*Photochem. Photobiol.* **53**: 103-109 (1999)

Valduga G., Pifferi A., Taroni P., Valentini G., **Reddi E.**, Cubeddu R., Jori G.

Steady-state and time-resolved spectroscopic studies on low-density lipoprotein-bound Zn(II)-phthalocyanine.

*J. Photochem. Photobiol., B. Biol.*, **49**: 198-203 (1999)

Valduga G., **Reddi E.**, Garbisa S., Jori G.

Photosensitization of cells with different metastatic potentials by liposome-delivered Zn(II)-phthalocyanine.

*Int. J. Cancer*, **75**: 412-417 (1998)

Nilsson H., Johansson J., Svanberg K., Svanberg S., Jori G., **Reddi E.**, Segalla A., Gust D., Moore A.L., Moore T.A.

Laser-induced fluorescence studies of the biodistribution of carotenoporphyrins in mice.

*Br. J. Cancer*, **76**: 355-364 (1997)

Soncin M., Busetti A., **Reddi E.**, Jori G., Rihter B.D., Kenney M.K., Rodgers M.A.J.

Pharmacokinetic and phototherapeutic properties of axially substituted Si(IV)-tetradibenzobarreleno-octabutoxyphthalocyanines.

*J. Photochem. Photobiol. B: Biol.*, **40**: 163-167 (1997)

Segalla A., Fedeli F., **Reddi E.**, Jori G., Cross A.

Effect of chemical structure and hydrophobicity on the pharmacokinetic properties of porphycenes in tumour-bearing mice.

*Int. J. Cancer*, **72**: 329-336 (1997)

#### **Reddi E.**

Role of delivery vehicles for photosensitizers in the photodynamic therapy of tumours. (Invited Review).

*J. Photochem. Photobiol., B: Biol.* **37**: 189-195 (1997)

Valduga G., Bianco G., Csik G., **Reddi E.**, Masiero L., Garbisa S., Jori G.

Interaction of hydro- or lipophilic phthalocyanines with cells of different metastatic potential.

*Biochem. Pharmacol.* **51**: 585-590 (1996)

Polo L., Bianco G., **Reddi E.**, Jori G.

The effect of different liposomal formulations on the interaction of Zn(II)-phthalocyanine with isolated low density and high density lipoproteins.

*Int. J. Biochem. Cell Biol.* **27**: 1249-1255 (1995)

Soncin M., Polo L., **Reddi E.**, Jori G., Kenney M.E., Cheng G., Rodgers M.A.J.

Effect of axial ligation and delivery system on the tumour-localizing and -photosensitizing properties of Ge(IV)-octabutoxy-phthalocyanines.

*Br. J. Cancer* **71**: 727-732 (1995)

Soncin M., Polo L., **Reddi E.**, Jori G., Rihter B.D., Kenney M.E., Rodgers M.A.J.

Unusually high affinity of Zn(II)-tetradibenzobarrelenooctabutoxy-phthalocyanine for low-density lipoproteins in a tumour-bearing mouse.

*Photochem. Photobiol.* **61**: 310-312 (1995)

Soncin M., Polo L., **Reddi E.**, Jori G., Kenney M.E., Cheng G., Rodgers M.A.J.

Effect of the delivery system on the biodistribution of Ge(IV)-octabutoxy-phthalocyanines in tumour-bearing mice.

*Cancer Lett.* **89**: 101-106 (1995)

Nilsson H., Johansson J., Svanberg K., Svanberg S., Jori G., **Reddi E.**, Segalla A., Gust D., Moore A.L., Moore T.A.

Laser-induced fluorescence in malignant and normal tissue in mice injected with two different carotenoporphyrins.

*Br. J. Cancer* **70**: 873-879 (1994)

**Reddi E.**, Segalla A., Jori G., Kerrigan P.A., Liddell P.A., Moore A.L., Moore T.A., Gust D.  
Carotenoporphyrins as selective photodiagnostic agents for tumours.

*Br. J. Cancer* **60**: 40-45 (1994)

Valduga G., Bertoloni G., **Reddi E.**, Jori G.

Effect of extracellularly generated singlet oxygen on Gram-positive and Gram-negative bacteria.

*J. Photochem. Photobiol., B: Biol.* **21**: 81-86 (1993)

Jori G., **Reddi E.**

The role of lipoproteins in the delivery of tumour-targeting photosensitizers.

*Int. J. Biochem.* **25**: 1369-1375 (1993)

**Reddi E.**

Photosensitized oxidation of oils and fats in foods.

*J. Photochem. Photobiol., B: Biol.* **16**: 398-399 (1992)

Gust D., Moore T.A., Moore A.L., Jori G., **Reddi E.**

The photochemistry of carotenoids. Some photosynthetic and photomedical aspects.

*Ann. N. Y. Acad. Sci.* **691**: 32-47 (1993)

Valduga G., **Reddi E.**, Jori G., Cubeddu R., Taroni P., Valentini G.

Steady state and time-resolved spectroscopic studies on zinc(II)-phthalocyanine in liposomes.

*J. Photochem. Photobiol., B: Biol.*, **16**: 331-340 (1992)

**Reddi E.**, Valduga G., Rodgers M.A.J., Jori G.

Studies on the mechanism of the hematoporphyrin-sensitized photooxidation of 1,3-diphenylisobenzofuran in ethanol and unilamellar liposomes.

*Photochem. Photobiol.* **54**: 633-637 (1991)

Biolo R., Jori G., Kennedy J.C., Nadeau P., Pottier R.H., **Reddi E.**, Weagle G.

A comparison of fluorescence methods used in the pharmacokinetic studies of Zn(II) phthalocyanine in mice.

*Photochem. Photobiol.* **53**: 113-118 (1991)

**Reddi E.**, Jori G., Rubaltelli F.F.

Photochemical and photosensitizing properties of monomeric and dimeric Sn(IV)-protoporphyrin.

*J. Photochem. Photobiol., B: Biology* **8**: 159-167 (1991)

**Reddi E.**, Cernuschi S., Biolo R., Jori G.

Liposome- or LDL-administered Zn(II)-phthalocyanine as a photodynamic agent for tumours. III. Effect of cholesterol on pharmacokinetic and phototherapeutic properties.

*Laser Med. Sci.* **5**: 339-343 (1990)

**Reddi E.**, Zhou C., Biolo R., Menegaldo E., Jori G.

Liposome- or LDL-administered Zn(II)-phthalocyanine as a photodynamic agent for tumours. I. Pharmacokinetic properties and phototherapeutic efficiency.

*Br. J. Cancer* **61**: 407-411 (1990)

Ginevra F., Biffanti S., Pagnan A., Biolo R., **Reddi E.**, Jori G.  
Delivery of the tumour photosensitizer zinc(II)-phthalocyanine to serum proteins by different liposomes: studies in vitro and in vivo.  
*Cancer Lett.* **49**: 59-65 (1990)

Rubaltelli F.F., Guerrini P., **Reddi E.**, Jori G.  
Tin-protoporphyrin in the management of children with Crigler-Najjar disease.  
*Pediatrics* **84**: 728-731 (1989)

Jori G., **Reddi E.**, Rubaltelli F.F.  
Bronze baby syndrome: an animal model.  
*Pediatr. Res.* **27**: 22-25 (1989)

Bertoloni G., **Reddi E.**, Gatta M., Burlini C., Jori G.  
Factors influencing the haematoporphyrin-sensitized photoinactivation of *Candida albicans*.  
*J. Gen. Microbiol.* **135**: 957-966 (1989)

**Reddi E.**, Jori G.  
Steady-state and time-resolved spectroscopic studies of photodynamic sensitizers: porphyrins and phthalocyanines.  
*Rev. Chem. Interm.* **10**: 241-268 (1988)

Valduga G., Nonell S., **Reddi E.**, Jori G., Braslavsky S.E.  
The production of singlet molecular oxygen by zinc(II)-phthalocyanine in ethanol and in unilamellar vesicles. Chemical quenching and phosphorescence studies.  
*Photochem. Photobiol.* **48**: 1-5 (1988)

Jori G., **Reddi E.**, Rubaltelli F.F.  
Structural and functional differences between fetal and adult serum albumin.  
*Int. J. Peptide Protein Res.* **31**: 17-21 (1988)

**Reddi E.**, Lo Castro G., Biolo R., Jori G.  
Pharmacokinetic studies with Zn(II)-phthalocyanine in tumour-bearing mice.  
*Br. J. Cancer* **56**: 597-600 (1987)

Bertoloni G., Zambotto F., Conventi L., **Reddi E.**, Jori G.  
Role of specific cellular targets in the hematoporphyrin-sensitized photoinactivation of microbial cells.  
*Photochem. Photobiol.* **46**: 695-698 (1987)

Milanesi C., Biolo R., **Reddi E.**, Jori G.  
Ultrastructural studies on the mechanism of the photodynamic therapy of tumours.  
*Photochem. Photobiol.* **46**: 675-682 (1987)

Valduga G., **Reddi E.**, Jori G.  
Spectroscopic studies on Zn(II)-phthalocyanine in homogeneous and microheterogeneous systems.  
*J. Inorg. Biochem.* **29**: 59-65 (1987)

**Reddi E.**, Lambert C.R., Jori G., Rodgers M.A.J.

Photokinetic and photophysical measurements of the sensitized photo-oxidation of the tryptophyl residue in N-acetyl-tryptophanamide and in human serum albumin.

*Photochem. Photobiol.* **45**: 345-351 (1987)

Lambert C., **Reddi E.**, Spikes J.D., Rodgers M.A.J., Jori G.

The effect of porphyrin structure and aggregation state on photosensitized processes in aqueous and micellar media.

*Photochem. Photobiol.* **44**: 595-602 (1986)

Jori G., **Reddi E.**, Cozzani I., Tomio L.

Controlled targeting of different subcellular sites by porphyrins in tumour-bearing mice.

*Br. J. Cancer* **53**: 615-621 (1986)

**Reddi E.**, Rodgers M.A.J., Spikes J.D., Jori G.

The effect of medium polarity on the hematoporphyrin-sensitized photooxidation of L-tryptophan.

*Photochem. Photobiol.* **40**: 415-421 (1984)

Jori G., Beltramini M., **Reddi E.**, Salvato B., Pagnan A., Ziron L., Tomio L., Tsanov T.

Evidence for a major role of plasma lipoproteins as hematoporphyrin carriers *in vivo*.

*Cancer Lett.* **24**: 291-297 (1984)

**Reddi E.**, Jori G., Rodgers M.A.J., Spikes J.D.

Flash photolysis studies of hemato- and copro-porphyrins in homogeneous and micro-heterogeneous aqueous dispersions.

*Photochem. Photobiol.* **38**: 639-645 (1983)

Jori G., Tomio L., **Reddi E.**, Rossi E., Corti L., Zorat P.L., Calzavara F.

Preferential delivery of liposome-incorporated porphyrins to neoplastic cells in tumour-bearing rats.

*Br. J. Cancer* **48**: 307-309 (1983)

Tomio L., Zorat P.L., Corti L., Calzavara F., **Reddi E.**, Jori G.,

Effect of hematoporphyrin and red light on AH-130 solid tumours in rats.

*Acta Rad. Oncol.* **22**: 49-53 (1983)

Rubaltelli F.F., Jori G., **Reddi E.**

Bronze baby syndrome: a new porphyrin-related disorder.

*Pediatr. Res.* **17**: 327-330 (1983)

Andreoni A., Cubeddu R., De Silvestri S., Jori G., Laporta P., **Reddi E.**

Time-resolved fluorescence studies of hematoporphyrin in different solvent systems.

*Zeit. Naturf.* **38c**: 83-89 (1983)

Jori G., **Reddi E.**, Rubaltelli F.F.

Bronze baby syndrome: evidence for increased serum porphyrin concentration.

*Lancet* **i**: 1072 (1982)

Tomio L., Zorat P.L., Jori G., **Reddi E.**, Salvato B., Corti L., Calzavara F.

Elimination pathway of hematoporphyrin from normal and tumour-bearing rats.

*Tumori* **68**: 283-286 (1982)

Andreoni A., Cubeddu R., De Silvestri S., Jori G., Laporta P., **Reddi E.**

Hematoporphyrin derivative: experimental evidence for aggregated species.  
*Chem. Phys. Letters* **88**: 33-36 (1982)

**Reddi E.**, Ricchelli F., Jori G.

Interaction of human serum albumin with hematoporphyrin and its Zn<sup>2+</sup>- and Fe<sup>3+</sup>-derivatives.  
*Int. J. Peptide Protein Res.* **18**: 402-408 (1981)

Cozzani I., Jori G., **Reddi E.**, Fortunato A., Granati B., Felice M., Tomio L., Zorat P.L.  
Distribution of endogenous and injected porphyrins at the subcellular level in rat hepatocytes and in ascites hepatoma.  
*Chem. Biol. Interactions* **37**: 67-75 (1981)

Jori G., Pizzi G.B., **Reddi E.**, Tomio L., Salvato B., Zorat P.L., Calzavara F.  
Time-course of hematoporphyrin distribution in selected tissues of normal rats and in ascites hepatoma.  
*Tumori* **65**: 43-52 (1979)