

Valerio Di Marco

Pubblicazioni/Publications (giugno/June 2018)

- 55) Cacciatore I., Marinelli L., Di Stefano A., Di Marco V., Orlando G., Gabriele M., Pia Gatta D.M., Ferrone A., Franceschelli S., Speranza L., Patruno A., Chelating and antioxidant properties of L-Dopa containing tetrapeptide for the treatment of neurodegenerative diseases. *Neuropeptides*. In press (doi.org/10.1016/j.npep.2018.06.002).
- 54) Fornasier E., Fornasier F., Di Marco V., Spectrophotometric methods for the measurement of soil pH: A reappraisal. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy* 2018, 204, 113–118.
- 53) Baron M., Dall'Anese A., Tubaro C., Orian L., Di Marco V., Bogialli S., Graiff C., Basato M., A square planar gold(III) bis-(1,1'-dimethyl-3,3'-methylene-diimidazol-2,2'-diylidene) trication as an efficient and selective receptor towards halogen anions: the cooperative effect of Au...X and X...HC interactions. *Dalton Trans.* 2018, 47, 935-945.
- 52) D'Aronco S., Dall'Armi M., Crotti S., Calandra E., Traldi P., Di Marco V., Buonadonna A., Corona G., Giodini L., Marangon E., Posocco B., Toffolic G., Agostini M., Field-assisted paper spray mass spectrometry for therapeutic drug monitoring: 1. the case of imatinib in plasma. *J. Mass Spectrom.* 2017, 52, 283-289.
- 51) Badocco D., Di Marco V., Venzo A., Frasconi M., Frezzato D., Pastore P., Ion Pair Formation between Tertiary Aliphatic Amines and Perchlorate in the Biphasic Water/Dichloromethane System. *J. Phys. Chem. B* 2017, 121, 9403-9410.
- 50) Badocco D., Romanini F., Di Marco V., Mondin A., Pastore P., Formation of volatile iodine compounds under hot concentrated acid conditions (nitric acid or aqua regia) and in diluted acid solutions with or without thiocyanate. *Polyhedron* 2017, 122, 25-28.
- 49) Badocco D., Di Marco V., Piovan A., Caniato R., Pastore P., A procedure for the quantification of total iodine by inductively coupled plasma mass spectrometry, and its application to the determination of iodine in algae sampled in the lagoon of Venice. *Anal. Methods*, 2016, 8, 7545-7551.
- 48) Crotti S., Agnoletto E., Cancemi G., Di Marco V., Traldi P., Pucciarelli S., Nitti D., Agostini M., Altered plasma levels of decanoic acid in colorectal cancer as a new diagnostic biomarker. *Anal Bioanal Chem* 2016, 408, 6321-6328.
- 47) Marzocchi M., Badocco D., Piovan A., Pastore P., Di Marco V., Filippini R., Caniato R., Metals in *Undaria pinnatifida* (Harvey) Suringar and *Sargassum muticum* (Yendo) Fensholt edible seaweeds growing around Venice (Italy). *J Appl Phycol* 2016, 28, 2605-2613.
- 46) Roverso M., Berté C., Di Marco V., Lapolla A., Badocco D., Pastore P., Visentin S., Cosmi E., The metallome of the human placenta in gestational diabetes mellitus. *Metallomics* 2015, 7, 1146-1154.
- 45) Bronzato M., Calvini P., Federici C., Dupont A.L., Meneghetti M., Di Marco V., Biondie B., Zoleo A., Degradation by-products of ancient paper leaves from wash waters. *Anal. Methods* 2015, 7, 8197-8205.
- 44) Badocco D., Di Marco V., Mondin A., Pastore P., Cyclic Voltammetry as a New Approach for the Determination of Solubility of Aliphatic Amines in Water. *J. Chem. Eng. Data* 2015, 60, 895-901.
- 43) Dean A., Ferlin M.G., Cvijovic M., Djurdjevic P., Dotto F., Badocco D., Pastore P., Venzo A., Di Marco V.B., Evaluation of 1,2-dimethyl-3-hydroxy-4-pyridinecarboxylic acid and of other 3-hydroxy-4-pyridinecarboxylic acid derivatives for possible application in iron and aluminium chelation therapy. *Polyhedron* 2014, 67, 520-528.
- 42) Sija É., Nagy N.V., Gandin V., Marzano C., Jakusch T., Dean A., Di Marco V.B., Kiss T., Hydroxypyridinecarboxylic acid derivatives influencing metal ion levels in the brain: Equilibrium complexation studies with Cu(II) and Zn(II). *Polyhedron* 2014, 67, 481-489.
- 41) Cacciatore I., Cornacchia C., Fornasari E., Baldassarre L., Pinnen F., Sozio P., Di Stefano A., Marinelli L., Dean A., Fulle S., Di Filippo E.S., La Rovere R.M.L., Patruno A., Ferrone A., Di Marco V., A Glutathione Derivative with Chelating and in vitro Neuroprotective Activities: Synthesis, Physicochemical Properties, and Biological Evaluation. *ChemMedChem* 2013, 8, 1818-1829.

- 40) Brun P., Dean A., Di Marco V., Surajit P., Castagliuolo I., Carta D., Ferlin M.G., Peroxisome proliferator-activated receptor-g mediates the antiinflammatory effect of 3-hydroxy-4-pyridinecarboxylic acid derivatives: Synthesis and biological evaluation. *Eur. J. Med. Chem.* 2013, 62, 486-497.
- 39) Marton D., Tapparo A., Di Marco V.B., Repice C., Giorio C., Bogialli S., Ultratrace determination of total and available cyanides in industrial wastewaters through a rapid headspace-based sample preparation and gas chromatography with nitrogen phosphorous detection analysis. *J. Chrom A* 2013, 1300, 209-216.
- 38) Pollina G.F., Pepe M., Dean A., Di Marco V., Marton D., Reduction in absorption of gallium maltolate in adult horses following oral administration with food: chemistry and pharmacokinetics. *J. vet. Pharmacol. Therap.* 2013, 36, 456-461.
- 37) Dean A., Sija É, Zsigó É, Ferlin M.G., Marton D., Gandin V., Marzano C., Badocco D., Pastore P., Venzo A., Bertani R., Kiss T., Di Marco V., Possible Chelating Agents for Iron and Aluminium – 4-Hydroxy-5-methyl- and 4-Hydroxy-1,5-dimethyl-3-pyridinecarboxylic Acid. *Eur. J. Inorg. Chem.* 2013, 1310-1319.
- 36) Crisponi G., Dean A., Di Marco V., Lachowitz J.I., Nurchi V.M., Remelli M., Tapparo A., Different approaches to the study of chelating agents for iron and aluminium overload pathologies. *Anal. Bioanal. Chem.* 2013, 405, 585-601.
- 35) Cvijovic M., Di Marco V., Traldi P., Stankov M.J., Djurdjevic P., Mass spectrometric study of speciation in aluminium-fluoroquinolone solutions, *Eur. J. Mass Spectrom.* 2012, 18, 313-322.
- 34) Dean A., Ferlin M.G., Brun P., Castagliuolo I., Yokel R.A., Venzo A., Bombi G.G., Di Marco V.B., Evaluation of 4-hydroxy-6-methyl-3-pyridinecarboxylic acid and 2,6-dimethyl-4-hydroxy-3-pyridinecarboxylic acid as chelating agents for iron and aluminium. *Inorg. Chim. Acta* 2011, 373, 179-186.
- 33) Sija E., Dean A., Jakusch T., Di Marco V.B., Venzo A., Kiss, T., Interactions of pyridinecarboxylic acid chelators with brain metal ions: Cu(II), Zn(II), and Al(III). *Monats. Chem.* 2011, 142, 399-410.
- 32) Bortolamei N., Isse A.A., Di Marco V.B., Gennaro A., Matyjaszewski K., Thermodynamic properties of copper complexes used as catalysts in atom transfer radical polymerization. *Macromol.* 2010, 43, 9257-9267.
- 31) Di Marco V.B., Raveane L., Dean A., Traldi P., Perturbations produced by electrospray ionization mass spectrometry in the speciation of aluminium(III)/1,6-dimethyl-4-hydroxy-3-pyridinecarboxylate aqueous solutions. *Rapid Comm. Mass Spectrom.* 2010, 24, 868-874.
- 30) Jakusch T., Dean A., Oncsik T., Benyei A.C., Di Marco V., Kiss T., Vanadate complexes in serum: a speciation modeling study. *Dalton Trans.* 2010, 212-220.
- 29) Badocco D., Marcon M., Mondin A., Dean A., Di Marco V.B., Pastore P., Use of electrochemical transient techniques to obtain thermodynamic and kinetic data on aqueous Fe(III)-1,6-dimethyl-4-hydroxy-3-pyridinecarboxylate and Fe(III)-4-hydroxy-2-methyl-3-pyridinecarboxylate complexes. *Dalton Trans.* 2009, 2415-2422.
- 28) Dean A., Ferlin M.G., Brun P., Castagliuolo I., Yokel R.A., Badocco D., Pastore P., Venzo A., Bombi G.G., Di Marco V.B., 1,6-Dimethyl-4-hydroxy-3-pyridinecarboxylic acid and 4-hydroxy-2-methyl-3-pyridinecarboxylic acid as new possible chelating agents for iron and aluminium. *Dalton Trans.* 2009, 1815-1824.
- 27) Di Marco V.B., Bombi G.G., Zambon S., Traldi P., Metal-ligand solution equilibria studied by electrospray ionization mass spectrometry: effect of instrumental parameters. *J. Mass. Spectrom.* 2009, 44, 120-127.
- 26) Bombi G.G., Aikebaier R., Dean A., Di Marco V.B., Marton D., Tapparo A., Complexation of 2,6-pyridinedicarboxylic and 2,6-pyridinediacetic acids towards aluminium(III) and iron(III). *Polyhedron* 2009, 28, 327-335.
- 25) Dean A., Ferlin M.G., Brun P., Castagliuolo I., Badocco D., Pastore P., Venzo A., Bombi G.G., Di Marco V.B., Evaluation of 2-methyl-3-hydroxy-4-pyridinecarboxylic acid as a possible chelating agent for iron and aluminium. *Dalton Trans.* 2008, 1689-1697.
- 24) Lakatos A., Kiss T., Bertani R., Venzo A., Di Marco V.B., Complexes of Al(III) with D-gluconic acid. *Polyhedron* 2008, 27, 118-124.
- 23) Di Marco V.B., Bombi G.G., Ranaldo M., Traldi P., Metal-ligand solution equilibria studied by electrospray ionization mass spectrometry: correlation between ion intensity and acid-base equilibria in solution. *Rapid Commun. Mass Spectrom.* 2007, 21, 3825-3832.

- 22) Guantieri V., Venzo A., Di Marco V., Acampora M., Biondi B., Potentiometric and NMR studies on Cd²⁺ coordination with the histidine-containing Ac184-188NH₂ prion protein fragment. *Inorg. Chim. Acta* 2007, 360, 4051-4057.
- 21) Badocco D., Dean A., Di Marco V., Pastore P., Electrochemical characterization of 8-hydroxyquinoline-5-sulphonate/aluminium(III) aqueous solutions. *Electrochim. Acta* 2007, 52, 7920-7926.
- 20) Bombi G.G., Di Marco V.B., Marton D., Moro S., Reheman A., Tapparo A., Viero L., 2-hydroxy-3-carboxy-dihydrocinnamic acid: complexation properties towards aluminium(III) and iron(III). *Polyhedron* 2007, 26, 3419-3427.
- 19) Di Marco V.B., Dean A., Yokel R.A., Li H., Bombi G.G., Evaluation of 1-methyl-3,4-hydroxypyridinecarboxylic acids as possible bidentate chelating agents for iron(III): Metal-ligand solution chemistry. *Polyhedron* 2007, 26, 3227-3232.
- 18) Di Marco V.B., Karoly-Lakatos A., Venzo A., Bertani R., Seraglia R., Kiss T., The aluminium(III)-sialic acid interaction: A potential role in aluminium-induced cellular membrane degeneration. *Inorg. Chim. Acta* 2006, 359, 4227-4234.
- 17) Ferlin M.G., Di Marco V.B., Dean A. Synthesis of 1,4-dihydro-2-methyl-4-oxo-nicotinic acid: Ochiai's route failed. *Tetrahedron* 2006, 62: 6222-6227.
- 16) Di Marco V.B., Bombi G.G. Electrospray mass spectrometry (ESI-MS) in the study of metal-ligand solution equilibria. *Mass Spectrom. Rev.* 2006, 25: 347-379.
- 15) Di Marco V.B., Dean A., Ferlin M.G., Yokel R.A., Li H., Venzo A., Bombi G.G. Methyl-Hydroxypyridinecarboxylic acids as possible bidentate chelating agents for Aluminium(III): synthesis and metal-ligand solution chemistry. *Eur. J. Inorg. Chem.* 2006, 1284-1293.
- 14) Di Marco V., Bombi G.G., Ranaldo M., Traldi P. Surface-activated chemical ionization versus electrospray ionization in the study of selected aluminium(III)/ligand solution equilibria. *Rapid Commun. Mass Spectrom.* 2006, 20: 710-712.
- 13) Di Marco V.B., Yokel R.A., Li H., Tapparo A., Bombi G.G. Complexation of 3,4-hydroxypyridinecarboxylic acids with iron(III). *Inorg. Chim. Acta* 2004, 357: 3753-3758.
- 12) Di Marco V., Kilyen M., Jakusch T., Forgó P., Dombi G., Kiss T. Complexation properties of ethylenediaminetetramethylenephosphonic acid (EDTMP) with Al(III) and V(IV)O. *Eur. J. Inorg. Chem.* 2004, 2524-2532.
- 11) Di Marco V.B., Tapparo A., Dolmella A., Bombi G.G. Complexation of 2-hydroxynicotinic and 3-hydroxypicolinic acid with zinc(II). Solution state study and crystal structure of trans-diaqua-bis-(3-hydroxypicolinato)zinc(II). *Inorg. Chim. Acta* 2004, 357: 135-142.
- 10) Di Marco V., Bombi G.G., Tubaro M., Traldi P. Electrospray ionization mass spectrometry in studies of aluminium(III)-ligand solution equilibria. *Rapid Commun. Mass Spectrom.* 2003, 17: 2039-2046.
- 9) Tapparo A., Di Marco V.B., Bombi G.G., Paganelli A. Chemical characterisation, plant remain analysis and radiocarbon dating of the Venetian "Manna di San Nicola". *Ann. Chim. (Rome)* 2002, 92: 327-332.
- 8) Di Marco V.B., Yokel R.A., Ferlin M.G., Tapparo A., Bombi G.G. Evaluation of 3,4-hydroxypyridinecarboxylic acids as possible bidentate chelating agents for aluminium(III): synthesis and metal-ligand solution chemistry. *Eur. J. Inorg. Chem.* 2002, 2648-2655.
- 7) Di Marco V.B., Bombi G.G. Mathematical functions for the representation of chromatographic peaks. *J. Chrom. A* 2001, 931: 1-30.
- 6) Di Marco V.B., Tapparo A., Bombi G.G. New possible chelating agents of clinical interest for iron(III): 2-hydroxynicotinic acid and 3-hydroxypicolinic acid. A thermodynamic study. *Ann. Chim. (Rome)* 2001, 91: 595-603.
- 5) Raccanelli S., Bonamin V., Favotto M., Di Marco V., Tirler W. Comparative PCDD/Fs analysis in different matrices (fish, harbour sediment, industrial sludge, mswi ash) extracted by pressurized fluid extraction and by traditional soxhlet. Preliminary results. *Organohalogen Compounds* 1999, 40: 239-242.
- 4) Di Marco V.B., Tapparo A., Bombi G.G. Complex formation between aluminium(III) and two hydroxyaromatic ligands: 2-hydroxyphenylethanone and 2-hydroxybenzeneacetic acid. *Ann. Chim. (Rome)* 1999, 89: 397-407.
- 3) Di Marco V.B., Tapparo A., Bertani R., Bombi G.G. Complex formation between aluminium(III) and two pyridine derivatives: 2-hydroxynicotinic and 3-hydroxypicolinic acid. *Ann. Chim. (Rome)* 1999, 89: 535-546.

2) Di Marco V.B., Bombi G.G., Tapparo A., Powell A.K., Anson C.E. Complexation of aluminium(III) with 3-hydroxy-2(1H)pyridinone. Solution state study and crystal structure of tris(3-hydroxy-2(1H)-pyridonato)aluminium(III). J. Chem. Soc. Dalton Trans. 1999, 2427-2432.

1) Bertani R., Bombi G.G., Bortolini O., Conte V., Di Marco V.B., Tapparo A. Complex formation between aluminium(III) and 2-hydroxy nicotinic acid: an electrospray mass spectrometric investigation. Rapid Commun. Mass Spectrom. 1999, 13: 1878-1881.